

**Vulkan.**

**GLFW**



**Oregon State University**  
Mike Bailey  
mjb@cs.oregonstate.edu

This work is licensed under a [Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License](#)





Oregon State University Computer Graphics

GLFW.gpx

mjb - January 16, 2020

<http://www.glfw.org/>

GLFW is an Open Source, multi-platform library for OpenGL, OpenGL ES and Vulkan development on the desktop. It provides a simple API for creating windows and contexts, handling input, and managing OpenGL state.

GLFW is written in C and has native support for Windows, macOS and many Unix-like systems using the X Window System, such as Linux and FreeBSD.

GLFW is licensed under the  [zlib/libpng license](#).

-  Gives you a window and OpenGL context with just two function calls.
-  Support for OpenGL, OpenGL ES, Vulkan and related options, flags and extensions.
-  Support for multiple windows, multiple monitors, high-DPI and gamma ramps.
-  Support for keyboard, mouse, gamepad, touch and window event input, via polling or callbacks.
-  Comes with guides, a tutorial, reference documentation, examples and test programs.
-  Open Source with an OSI-certified license allowing commercial use.
-  Access to native objects and compile-time options for platform specific features.
-  Community-maintained bindings for many different languages.

No library can be perfect for everyone. If GLFW isn't what you're looking for, there are alternatives.

mjb - January 16, 2020

**Setting Up GLFW**

```
#define GLFW_INCLUDE_VULKAN
#include "glfw3.h"
...
uint32_t Width, Height;
VkSurfaceKHR Surface;
...

void InitGLFW()
{
    glfwInit();
    if( !glfwVulkanSupported() )
    {
        fprintf( stderr, "Vulkan is not supported on this system!\n" );
        exit( 1 );
    }
    glfwWindowHint( GLFW_CLIENT_API, GLFW_NO_API );
    glfwWindowHint( GLFW_RESIZABLE, GLFW_FALSE );
    MainWindow = glfwCreateWindow( Width, Height, "Vulkan Sample", NULL, NULL );
    VkResult result = glfwCreateWindowSurface( Instance, MainWindow, NULL, OUT &Surface );

    glfwSetErrorCallback( GLFWErrorCallback );
    glfwSetKeyCallback( MainWindow, GLFWKeyboard );
    glfwSetCursorPosCallback( MainWindow, GLFWMouseMotion );
    glfwSetMouseButtonCallback( MainWindow, GLFWMouseButton );
}
```

glfw - January 16, 2020

**You Can Also Query What Vulkan Extensions GLFW Requires**

```
uint32_t count;
const char ** extensions = glfwGetRequiredInstanceExtensions( &count );
fprintf( FpDebug, "%d GLFW Required Instance Extensions:\n", count );
for( uint32_t i = 0; i < count; i++ )
{
    fprintf( FpDebug, "%t%s\n", extensions[ i ] );
}
```

Found 2 GLFW Required Instance Extensions:  
**VK\_KHR\_surface**  
**VK\_KHR\_win32\_surface**



mjb - January 16, 2020

**GLFW Keyboard Callback**

```
void GLFWKeyboard( GLFWwindow * window, int key, int scancode, int action, int mods )
{
    if( action == GLFW_PRESS )
    {
        switch( key )
        {
            /case GLFW_KEY_M:
            case 'm':
            case 'M':
                Mode++;
                if( Mode >= 2 )
                    Mode = 0;
                break;

            default:
                fprintf( FpDebug, "Unknown key hit: 0x%04x = %c\n", key, key );
                fflush(FpDebug);
        }
    }
}
```



Oregon State University Computer Graphics

mp - January 16, 2020

**GLFW Mouse Button Callback**

```
void GLFWMouseButton( GLFWwindow * window, int button, int action, int mods )
{
    int b = 0; // LEFT, MIDDLE, or RIGHT

    // get the proper button bit mask:
    switch( button )
    {
        case GLFW_MOUSE_BUTTON_LEFT:
            b = LEFT;
            break;
        case GLFW_MOUSE_BUTTON_MIDDLE:
            b = MIDDLE;
            break;
        case GLFW_MOUSE_BUTTON_RIGHT:
            b = RIGHT;
            break;
        default:
            b = 0;
            fprintf( FpDebug, "Unknown mouse button: %d\n", button );
    }

    // button down sets the bit, up clears the bit:
    if( action == GLFW_PRESS )
    {
        double xpos, ypos;
        glfwGetCursorPos( window, &xpos, &ypos );
        Xmouse = (int)xpos;
        Ymouse = (int)ypos;
        ActiveButton |= b; // set the proper bit
    }
    else
    {
        ActiveButton &= ~b; // clear the proper bit
    }
}
```



Oregon State University Computer Graphics

mp - January 16, 2020

**GLFW Mouse Motion Callback**

7

```
void
GLFWMouseMotion( GLFWwindow *window, double xpos, double ypos )
{
    int dx = (int)xpos - Xmouse;           // change in mouse coords
    int dy = (int)ypos - Ymouse;

    if( ( ActiveButton & LEFT ) != 0 )
    {
        Xrot += (ANGFACT*dy);
        Yrot += (ANGFACT*dx);
    }

    if( ( ActiveButton & MIDDLE ) != 0 )
    {
        Scale += SCLFACT * (float)(dx - dy);

        // keep object from turning inside-out or disappearing:
        if( Scale < MNSCALE )
            Scale = MNSCALE;
    }

    Xmouse = (int)xpos;                  // new current position
    Ymouse = (int)ypos;
}
```



Oregon State  
University  
Computer Graphics

mp - January 16, 2020

**Looping and Closing GLFW**

8

```
while( glfwWindowShouldClose( MainWindow ) == 0 )
{
    glfwPollEvents( );
    Time = glfwGetTime( );
    UpdateScene( );
    RenderScene( );
}

vkQueueWaitIdle( Queue );
vkDeviceWaitIdle( LogicalDevice );
DestroyAllVulkan( );
glfwDestroyWindow( MainWindow );
glfwTerminate( );
```

Does not block –  
processes any waiting events,  
then returns



Oregon State  
University  
Computer Graphics

mp - January 16, 2020

**Looping and Closing GLFW**

9

If you would like to *block* waiting for events, use:

```
glfwWaitEvents( );
```

You can have the blocking wake up after a timeout period with:

```
glfwWaitEventsTimeout( double secs );
```

You can wake up one of these blocks from another thread with:

```
glfwPostEmptyEvent( );
```



Oregon State  
University  
Computer Graphics



mp - January 16, 2020