




Camp Blender

<http://cs.oregonstate.edu/~mjb/blender>





Oregon State University
Mike Bailey
mjb@cs.oregonstate.edu

Oregon State University Computer Graphics | blender3.6.pptx | mjb - August 21, 2023

For Those of you on Zoom, I Apologize in Advance for the Barking You Might Hear in the Background ☺

They mean well, but delivery vans are just too-tempting a bark-target...

Oregon State University Computer Graphics | mjb - August 21, 2023

Handy Blender Shortcuts

Shortcut	What It Does
LMB	Select something
Shift-LMB	Add something else to the selection
MMB	Rotate the scene
Shift-MMB	Pan the scene
Shift-spacebar	Bring up the transformation menu
Scroll Wheel	Zoom in and out
Tab	Toggle between Object Mode and Edit Mode
Control-Tab	Bring up Mode pie menu
` (back quote)	Bring up View pie menu
a	Select all
Click in empty space	Unselect all
Alt-a	Unselect all
Escape	Get you out of almost anything (including stopping a render or an animation)
b, c	Box or circle select
C	Center the scene (good if you are lost in 3D)
Shift-d	Duplicate
e	Extrude (in edit mode)
F3	Search
g	Grab (translate) an object

Oregon State University Computer Graphics | August 21, 2023

Handy Blender Shortcuts

Shortcut	What It Does
Shift-g	Group
i	Insert a keyframe
Control-j	Join 2 or more objects
m	Send object to a collection (layer)
n	Toggle the Sidebar menu
Shift-n	Recalculate normals
p	Partition (only in edit mode)
Control-p	Establish a parent-child relationship (last object selected will be the parent)
Alt-p	Destroy a parent-child relationship
Control-Alt-q	Toggle quad viewing
r	Rotate an object
s	Scale an object
Shift-s	Pie menu for using the 3D Cursor
Spacebar	Start / Pause an animation
t	Toggle the Object Tools menu
x	Delete whatever is selected
z	Bring up a display mode pie menu
Control-z	Undo
Alt-z	Toggle x-ray mode
Control-Shift-z	Redo
F12	Render a scene image
F11	Return to the interactive scene


Oregon State University Computer Graphics | mjb - August 21, 2023

Not Exactly a Shortcut, but Really, Really Useful

If you would like to be able to rotate the entire scene around a particular object, click on the object and then select:

View → Frame Selected



You can also hit the period (.) on the number pad on the keyboard.



Oregon State University Computer Graphics | mjb - August 21, 2023

What is Blender?

Blender is a *free* program that lets you do professional-looking 3D modeling, rendering, and animation. This, not this. ☺





Note: The version number changes often. These notes have been written against Blender version **3.6**

You can get Blender for yourself by going to: <http://www.blender.org>

Oregon State University Computer Graphics | mjb - August 21, 2023


Next Gen – a Blender-Animated Movie



See the trailer at:
<https://www.netflix.com/title/80988892>
 (Go to the bottom of the screen to see the trailer and teaser.)

Oregon State University Computer Graphics | mp - August 21, 2023


Why Do We Have These Notes?



Blender has thousands of buttons you can press. It is difficult to understand them all. These notes are here to show you what certain combinations of buttons do in order to learn them, and to remind you later when you've forgotten.

Oregon State University Computer Graphics | mp - August 21, 2023

In these notes, what do these icons mean?



They tell you that if you go to our notes web site:
<http://cs.oregonstate.edu/~mjb/blender>


you will find Blender input files (*.blend), texture map files (*.bmp), and animation movie files (*.mp4).

You can read a .blend file right into Blender (File → Open) so that you can experiment with these examples without having to first create them yourself.

You can play an .mp4 movie file right from your browser so that you can see how these examples look without having to run Blender at all.

Oregon State University Computer Graphics | mp - August 21, 2023

A warning about me and the Notes




Oregon State University Computer Graphics | mp - August 21, 2023

What We Will Cover in these Notes

1. Navigating the screen layout	10. Appearance, II
2. Viewing in 3D	11. Vertex Sculpting
3. Moving things around in 3D	12. Vertex Painting
4. Modeling, I	13. Keyframe Animation
5. Appearance, I	14. 3D Printing
6. Modeling, II	15. Stereographics
7. Rendering	16. References
8. Particle Systems	
9. Physics Animation	

Oregon State University Computer Graphics | mp - August 21, 2023

1. Navigating the Screen Layout



Oregon State University Computer Graphics | mp - August 21, 2023

Full Screen Layout

Object Tools ('t') Main Menu Property-specific Options Object Properties ('n') View Control Outliner Animation Controls

Computer Graphics mp - August 21, 2023

The Object Tools Menu

Select
Cursor
Move
Rotate
Scale
Transform
Annotate
Measure
Add Cube

Toggled on and off with the 't' key

Computer Graphics mp - August 21, 2023

The Add Menu

This is the Add tab - you will spend a lot of time here!

Create geometry

Create lights

Create other cool stuff

Computer Graphics mp - August 21, 2023

The Add -> Mesh Menu

You will especially spend a lot of time here!

Computer Graphics mp - August 21, 2023

The Sidebar Panels

Toggled on and off with the 'n' key

Computer Graphics mp - August 21, 2023

The Blender Interface Widgets

If Blender shows you something that looks like this ...


... you are expected to click a button to put yourself in a particular mode

State City Graphics mp - August 21, 2023


The Blender Interface Widgets


19

If Blender shows you something that looks like this ...



... you are expected to click in the box to bring up something else, like this




 Oregon State University
Computer Graphics

mp - August 21, 2023

The Blender Interface Widgets


20

If Blender shows you something that looks like this ...




... you are expected to turn features on and off by clicking in **all or none** of the checkboxes

If Blender shows you something that looks like this ...



... you are expected to make a choice of **just one** of these options


 Oregon State University
Computer Graphics

mp - August 21, 2023

The Blender Interface Widgets


21

If Blender shows you something that looks like this ...




... you are expected to either left-click in the box and (keeping the left button down) drag the mouse left-right like a slider, **or** single-click in the box and type in a new value

If Blender shows you something that looks like this ...



... you are expected to click in the box and then select from the resulting list


 Oregon State University
Computer Graphics

mp - August 21, 2023

The Blender Interface Widgets


22

If Blender shows you an "Apply" button ...




... it means that you can click this button to get rid of your original model and replace it with a model that has the edits you have just made

If Blender shows you this icon (with or without the word "Open" ...



... it means that you can click this button to open a file


 Oregon State University
Computer Graphics

mp - August 21, 2023

The Blender Interface Widgets


23

If Blender shows you something that looks like this ...




... you are expected to click in the box and select from a list of other **objects** in the scene

If Blender shows you something that looks like this ...



... the red color is telling you that you haven't yet entered enough information in this panel


 Oregon State University
Computer Graphics

mp - August 21, 2023

The Blender Interface Widgets

24


If Blender shows you something that looks like this ...



... it allows you to hide and unhide something (the Outliner is where you use this most often). Hiding an object is useful for decluttering your scene.

Hint #1: If you no longer want an object in the scene, hiding it for a while before deleting it is usually a good thing. It is surprising how often you need something not long after you deleted it. ☺

Hint #2: If you hide something, don't forget that you have hidden it. It is pretty freaky to be certain that you once created something, but now you can't find it anywhere in the scene. ☹

 Oregon State University
Computer Graphics

mp - August 21, 2023

The File Menu

25

Start a new Blender scene (thus closing the scene you currently have open)

Open a previously-created Blender scene (thus closing the scene you currently have open)

Save the current scene in a file

Bring elements from another Blender file into this scene

Bring an image or object in from somewhere else

Send an image or object to somewhere else

Computer Graphics img - August 21, 2023

The Difference Between New, Open, Link, and Append

26

New closes the scene you currently have, then initiates a new Blender scene.

Open closes the scene you currently have, then reads in a previously-stored Blender scene.

Append leaves the scene you currently have open, and adds elements of a previously-created scene into it.

Link is like Append, but every time you open the scene again, it will look at the file you are Linking from to see if changes have been made, and if so, will bring those into the scene instead of the first ones.

Computer Graphics img - August 21, 2023

The Edit Menu

27

Control-Z or Edit→Undo are two of your best friends!

You can also select **Undo History** and go back in time to several commands ago

Oregon State University Computer Graphics img - August 21, 2023

The Render Menu

28

Oregon State University Computer Graphics img - August 21, 2023

The Help Menu

29

Oregon State University Computer Graphics img - August 21, 2023

Blender Windows

30

When Blender launches, there are four sub-windows visible. But Blender has 23 Possible sub-window types that you can bring up and change the size of.

Oregon State University Computer Graphics img - August 21, 2023

Changing the Border Line on Blender Windows

To change a sub-window boundary, left-click on the horizontal or vertical border line, wait for the cursor to change to a double-arrow, then move the mouse up/down or left/right.

Oregon State University
Computer Graphics

Adding a New Blender Window

To change a sub-window boundary to create a new window, hover over the boundary, wait for the cursor to change to a double-arrow, then right-click. This menu will pop up. Select **Vertical Split** or **Horizontal Split** and move the mouse up/down or left/right. This will create a copy of a Blender sub-window that you already have.

Oregon State University
Computer Graphics

Changing the Type of a Blender Window

"This will create a copy of a Blender sub-window you already have." Well, what good is that?

Blender sub-windows have a type, designated by the icon in the upper-left corner.

Oregon State University
Computer Graphics

Changing the Type of a Blender Window

Clicking the down arrow, will bring up the list of the 23 types you can change that sub-window into:

General	Animation	Scripting	Data
3D Viewport	Dope Sheet	Text Editor	Outliner
Image Editor	Timeline	Python Console	Properties
UV Editor	Graph Editor	Info	File Browser
Compositor	Drivers	Nonlinear Animation	Asset Browser
Texture Node Editor			Spreadsheet
Geometry Node Editor			Preferences
Shader Editor			
Video Sequencer			
Movie Clip Editor			

Congratulations! You have now added a new Blender sub-window to your display.

Oregon State University
Computer Graphics

Deleting a Blender Window

To delete a window, hover over the boundary, wait for the cursor to change to a double-arrow, then right-click. This menu will pop up. Select **Join Areas** and move the mouse up/down or left/right. This symbol shows you which window will be eliminated when you click the mouse button.

Oregon State University
Computer Graphics

2. Viewing in 3D

Oregon State University
Computer Graphics

3D Coordinate Systems

Blender uses this convention

Left-handed

Right-handed

Oregon State University
Computer Graphics

mpb - August 21, 2023

The Coordinate and Viewing System

- Right-handed coordinate system
- X = Red
- Y = Green
- Z = Blue
- Middle mouse button (MMB) – orbit (rotate)
- Shift MMB – pan
- Scroll wheel – zoom
- View → Left, Right, ...
- View → Toggle Quad View
- View → View Persp/Ortho

Oregon State University
Computer Graphics

mpb - August 21, 2023

The View Menu

The View Menu gives you access to lots of ways to change how you are viewing the scene

Oregon State University
Computer Graphics

mpb - August 21, 2023

Toggling Between Perspective and Orthographic Views

Orthographic

Perspective

Oregon State University
Computer Graphics

mpb - August 21, 2023

Toggling Between Perspective and Orthographic Views

In orthographic, lines that are parallel in 3D remain parallel on the screen. Objects appear to be the same size as they get farther away.

In perspective, lines that are parallel in the 3D depth direction appear to converge on the screen. Objects appear to get smaller as they get farther away.

"Vanishing Point"

Use perspective when you want a more realistic view (which is most of the time).

Use orthographic to see if things separated in depth are the same size.

Oregon State University
Computer Graphics

mpb - August 21, 2023

Toggling Between Perspective and Orthographic Views

Use perspective when you want a more realistic view (which is most of the time):

Use orthographic to see if things separated in depth are the same size:

scene.blend

Oregon State University
Computer Graphics

mpb - August 21, 2023

Single View vs. Quad View

Or hit **Control-Alt-q**

Oregon State University Computer Graphics | mp - August 21, 2023

Setting the initial Rendering Mode

On the vertical strip of icons on the right, click this one:

And then be sure the Render Engine is set to **Eevee**.

Oregon State University Computer Graphics | mp - August 21, 2023

Setting the initial Display Mode

Use **Viewport Shading** to start. It gives good generic lighting.

Later, when we cover Rendering, we will use Rendered lighting, but not now.

Oregon State University Computer Graphics | mp - August 21, 2023

3. Moving Things Around in 3D

Oregon State University Computer Graphics | mp - August 21, 2023

We will get into this in more detail later, but just so that you have something on the screen, here is the Add Menu

These are all the different geometry things you can add into the scene. We will cover many of them, but not all.

This group is the **meshes**.

This group is the **curves**.

Oregon State University Computer Graphics | mp - August 21, 2023

The Add -> Mesh Menu

The UV Sphere, Torus, and Monkey are my favorites

Oregon State University Computer Graphics | mp - August 21, 2023

Summary of the Mesh Objects

Oregon State University
Computer Graphics

mpb - August 21, 2023

Coordinate System Conventions

- Right-handed coordinates
- Right-handed rotation rule
- Angles are in degrees

Oregon State University
Computer Graphics

mpb - August 21, 2023

Right-handed Rotation Rule

Oregon State University
Computer Graphics

mpb - August 21, 2023

Selecting an Object to Work On

LMB-click on the object you want to select. It will then be highlighted with an orange outline.

Oregon State University
Computer Graphics

mpb - August 21, 2023

Selecting Multiple Objects to Work On: Two Ways to Do This

1. Hold down the Shift key while RMB-clicking
2. LMB a rectangular region around objects

Oregon State University
Computer Graphics

mpb - August 21, 2023

Moving Things By Clicking and Dragging

Translate ("grab")

Rotate

Scale

Global Use Global or Local Coordinate System

Oregon State University
Computer Graphics

mpb - August 21, 2023

Global and Local Coordinates

Global

Global Coordinates align with the screen

Local

Local Coordinates align with the object

Oregon State University Computer Graphics mp - August 21, 2023

Saying How to Move Things by Using the Keyboard

- LMB click to select an object
- Grab: g
- Rotate: r
- Scale: s
- Grab using global axis: g → x, etc.
- Grab using local axis: g → X → x
- Pick all *but* a particular axis: g → x → X, g → X → X, etc.
- Grab a specific distance: g → x → 12.25 <return>
- Rotate a specific angle: r → x → 45 <return>
- Scale a specific factor: s → 2.0 <return>
- Scale a specific factor: s → x → 2.0 <return>

This is important – you will use this a lot!

The arrows (→) mean "and then hit"

Oregon State University Computer Graphics mp - August 21, 2023

You Can Also Use the Sidebar Panel

Hit the 'n' key to toggle this panel

Oregon State University Computer Graphics mp - August 21, 2023

Applying the Transformation

When you transform an object, Blender *doesn't change the object's coordinates*. It keeps the object's original coordinates plus a record of the transformation. So, for example, if you scale an object by 2.0, Blender remembers it like this:

Oregon State University Computer Graphics mp - August 21, 2023

Applying the Transformation

If you want to actually *alter* the object's coordinates, choose **Object → Apply**

You can pick a specific transformation to apply, but most of the time it is easiest to select **All Transforms**

Oregon State University Computer Graphics mp - August 21, 2023

Applying the Transformation

Once you apply the transformation, the Object Properties Box looks like this:

Before

After

Oregon State University Computer Graphics mp - August 21, 2023

The Outliner

In the upper-right portion of the screen is the Outliner. Like the name implies, it shows an outline of your scene.

It is sometimes nice to have a summary of the scene so you can remind yourself of what all is in it.

Also, if your scene is cluttered, you can select on object by clicking on its name in the outliner as opposed to selecting it in the scene.

Double-clicking on a name will allow you to rename that object to something more sensible than, say, "sphere"

Also, you can use the outliner to hide certain objects. Just click on the eye icon to hide/unhide.

Hint: If you hide something, don't forget that you have hidden it. It is pretty freaky to be certain that you once created something, but now can't find it anywhere in the scene.

Computer Graphics mp - August 21, 2023

The 3D Cursor

You have probably noticed that when you start up Blender, there is a mysterious cursor positioned at the origin.

This is Blender's **3D View Editor Cursor**.

With this, you can point *anywhere* in space.

Computer Graphics mp - August 21, 2023

Positioning the 3D Cursor

One way to position the 3D View Editor Cursor is to click on the **Cursor icon** and start left-clicking around the scene.

When you are done, be sure to let go of the 3D Cursor by clicking here

Computer Graphics mp - August 21, 2023

Positioning the 3D Cursor

But, it is hard to get the 3D Cursor exactly where you want it to be. For example, if you want to position the 3D Cursor at the corner of the cube indicated by the yellow dot, LMB click on it. But, upon rotating, you realize that it is at the wrong depth. So, get a view roughly 90° from the last view, and click again. You might have to do this a couple more times.

Computer Graphics mp - August 21, 2023

The 3D Cursor

You can also automatically position the 3D Cursor using the **Object → Snap** menu

For example, choosing **Cursor to Selected** will move the 3D Cursor to the median point of the object you have most recently selected. Choosing **Selected to Cursor** will move the selected object's median point to where the 3D Cursor is.

Computer Graphics mp - August 21, 2023

A Use for the 3D Cursor – Arbitrary Pivot Point

Suppose you then wanted to rotate the cube about the yellow corner point. After positioning the 3D Cursor there, you would then go to the **Pivot Center menu** and select **3D Cursor**. Rotations and Scaling will now take place around the yellow corner

Later, you probably want to change the pivot point back to **Median Point**.

Computer Graphics mp - August 21, 2023

Another Way to Set the Arbitrary Pivot Point

Select the object, tab to **Edit Mode**, select all vertices ('a') and translate them ('g').

In Edit mode, the pivot point stays put while the vertices move.

Tab back to Object mode, and rotate the object to confirm that the pivot point has changed.

In contrast, in Object Mode, the pivot point moves with the vertices.

The little orange dot is the pivot point.

Oregon State University
Computer Graphics

4. Modeling, I

Oregon State University
Computer Graphics

The Add Menu

Object Mode View Select **Add** Object

These are all the different geometry things you can add into the scene. We will cover many of them, but not all.

This group is the **meshes**.

This group is the **curves**.

Oregon State University
Computer Graphics

The Add→Mesh Menu

The UV Sphere, Torus, and Monkey are my favorites

Oregon State University
Computer Graphics

When you Add a Mesh, a Small Menu Appears in the LL Corner

UV Sphere

Add UV Spheres

Oregon State University
Computer Graphics

When you Add a Mesh, a Small Menu Appears in the LL Corner

Try clicking on it.

The small menu lets you modify how the last thing you did works. In this case, the most important thing it is doing is letting you change the polygon resolution of the sphere. **But, this menu only exists until you do something else. After that, the ability to change these values is gone.**

Personally, I like changing these two values to 64 and 32, respectively.

Oregon State University
Computer Graphics

Summary of the Mesh Objects

Oregon State University
Computer Graphics

mpb - August 21, 2023

Making the Mesh Objects Look Nicer

Blender is able to play a graphics trick to make your curved geometry look better. Select the object (LMB) then click the RMB and select **Shade Smooth**.

This doesn't actually change any geometry – it's just a really good computer graphics display trick. There are other ways to truly create smoother underlying geometry.

Oregon State University
Computer Graphics

mpb - August 21, 2023

How to Find Out How Detailed a Mesh Object Is

In the overlay menu, turn on **Statistics**

The number of Vertices, Edges, Faces, and Triangles show on the left side of the screen

Oregon State University
Computer Graphics

mpb - August 21, 2023

Duplicating an Object from the RMB Menu

Select the object (LMB) then click the RMB and select **Duplicate Objects**. This leaves the new object right on top of the old object and leaves you in **Grab mode**. Just move the mouse to separate the two objects.

Oregon State University
Computer Graphics

mpb - August 21, 2023

Mirroring an Object

Oftentimes you want to create an object that is identical to itself but is symmetric about an axis. This type of operation is called **mirroring**.

Create an object, in this case, Suzanne the Monkey.

Let's say that we want to mirror this object left-right (y). Select the monkey, right click, then select **Mirror**, and then select **Y Global**.

Oregon State University
Computer Graphics

mpb - August 21, 2023

Editing a Vertex, Edge, or Face on a Mesh

Click here, or hit the **Tab** key, to get into Edit Mode

Select and edit:
A vertex An edge A face

Using the **Tab** key is so common, that "tab" has become a *verb* in the Blender community. As we like to say, "Just tab over into edit mode."


Oregon State University
Computer Graphics

mpb - August 21, 2023


Editing a Vertex

79

Be sure you are in vertex-editing mode



Left click on a vertex
Hit 'g' (grab) and move the mouse
You can also hit 'x', 'y', or 'z' to restrict motion




Oregon State University
Computer Graphics
mpb - August 21, 2023

Editing a Vertex with Proportional Editing

80

Be sure you have Proportional Editing enabled

LMB click on a vertex
Hit 'g' (grab) and move the mouse
You can also hit 'x', 'y', or 'z' to restrict motion
The mouse Scroll Wheel changes the size of the Circle of Influence




You can also LMB select an edge or a face for editing or proportional editing.

Oregon State University
Computer Graphics
mpb - August 21, 2023

Subdividing and Smoothing Really Show the Difference Between Localized and Proportional Editing

81




Oregon State University
Computer Graphics
mpb - August 21, 2023

An Unexpected Use for Proportional Editing

82

Create a **Plane**, then go to **Edit Mode**, then box select all the edges, then click on **Edge → Subdivide** and subdivide it several times




Oregon State University
Computer Graphics
mpb - August 21, 2023

An Unexpected Use for Proportional Editing

83

Enable **Proportional Editing**, then go one widget to the right and change the kind of Proportional Editing from **Smooth** to **Random**




Oregon State University
Computer Graphics
mpb - August 21, 2023

An Unexpected Use for Proportional Editing

84

Go to **Edit Mode**, select a vertex, and lift it along with those around it



Oregon State University
Computer Graphics
mpb - August 21, 2023

Deleting

In **Edit Mode**, you can delete things. For example, here four faces have been selected. **Right-click** and select **Delete Faces** from the pop-up menu

Here's what you get:

Oregon State University Computer Graphics

Dissolving

You can also **right-click** and select **Dissolve Faces** from the pop-up menu

In which case, you get this:

Oregon State University Computer Graphics

5. Appearance, I

Oregon State University Computer Graphics

The Button Properties Menu

Tells you that we are in the Button Properties Menu

- Render Properties
- Output Properties
- View Layer Properties
- Scene Properties
- World Properties
- Collection Properties
- Object Properties
- Modifier Properties
- Particle Properties
- Physics Properties
- Object Constraint Properties
- Object Data Properties
- Material Properties (colors)**
- Texture Properties

Clicking one of these brings up a much more detailed menu of options

Oregon State University Computer Graphics

Using the Material Properties Menu

Click on this ... to get this

Then, click on **New**

Oregon State University Computer Graphics

Using the Material Properties Menu

To make our lives simpler for now, click here to **turn off Use Nodes mode**

Oregon State University Computer Graphics

Using the Material Properties Menu

Use Nodes mode has been turned off

Clicking in here brings up a color wheel

Base Color
Metallic 0.000
Specular 0.500
Roughness 0.400

RGB HSV Hex
H 0.000
S 0.000
V 0.906
A 1.000

Oregon State University Computer Graphics
img - August 21, 2023

Controlling Shininess

Most matte

Most glossy

Material.001 Turn Use Nodes off
Set the Base Color
Metallic 0.051
Specular 0.500
Roughness 1.000

Material.001
Base Color
Metallic 1.000
Specular 0.500
Roughness 0.066

Oregon State University Computer Graphics
img - August 21, 2023

The Color Wheel

Click in here to change the Hue and Saturation

Click in here to change the Value

Hue is angle around the wheel
Saturation is the radius

Value is a color's brightness

These are the possible ways the color will be defined

RGB HSV Hex

If you know the color definition numbers you want, you can type or slider them here

H 0.000
S 0.000
V 0.906
A 1.000

Base Color

Oregon State University Computer Graphics
img - August 21, 2023

The Color Wheel in Action

RGB HSV Hex
H 0.074
S 0.388
V 0.906
A 1.000

Base Color
Metallic 0.000
Specular 0.500
Roughness 0.400

Oregon State University Computer Graphics
img - August 21, 2023

Color Scales

Red-Green-Blue

Hue-Saturation-Value

Hexadecimal

Eye Dropper
(lets you select a color you see somewhere else on the screen)

Oregon State University Computer Graphics
img - August 21, 2023

RGB Additive Color Scale

R = Red
G = Green
B = Blue
W = White

C = Cyan
M = Magenta
Y = Yellow
K = Black

Blender's RGB scale lets you give the red, green, and blue components in the range 0. - 1.

Blender's hexadecimal scale lets you give the red, green, and blue components in the range 00 00 00 - FF FF FF

Oregon State University Computer Graphics
img - August 21, 2023

Hue-Saturation-Value (HSV) Color Scale

Blender's HSV scale lets you give the hue, saturation, and value components in the range 0. - 1.

University Computer Graphics
mp - August 21, 2023

Subtractive Colors (CMYK)

R = Red
G = Green
B = Blue
W = White

C = Cyan
M = Magenta
Y = Yellow
K = Black

Oregon State University Computer Graphics
mp - August 21, 2023

Subtractive Color (CMYK)

R = Red
G = Green
B = Blue
W = White

C = Cyan
M = Magenta
Y = Yellow
K = Black

Oregon State University Computer Graphics
mp - August 21, 2023

Color Printing

- Uses subtractive colors
- Uses 3 (CMY) or 4 (CMYK) passes
- CMYK printers have a better-looking black

R = Red
G = Green
B = Blue
W = White

C = Cyan
M = Magenta
Y = Yellow
K = Black

Oregon State University Computer Graphics
mp - August 21, 2023

You See Lots of Color Printing Tests Like This!



Oregon State University Computer Graphics
mp - August 21, 2023

So Far We Have Been Using Viewport Shading

We have gotten pretty good views of our objects without having to position light sources, cameras, etc.

Computer Graphics
mp - August 21, 2023



We Could Switch to Rendered Shading

But, that *would* require us to position light sources, cameras, etc. We're not ready for that yet.

Computer Graphics mp - August 21, 2023

But, here comes *MatCap*, a More Creative Use of Viewport Shading⁴


Click on Viewport Shading and then click on the down-facing arrow

Studio Lighting is what you have been using. Instead, select **MatCap**, which stands for "Material Capture".

Then, click on the sphere.

Computer Graphics mp - August 21, 2023

Up Pops a Lot of Material Options!




Try them, especially the shiny ones!





Computer Graphics mp - August 21, 2023

6. Modeling, II



Computer Graphics mp - August 21, 2023


Adding 3D Text

Select Add → Text

It ends up giving you the fairly-useless line "Text"

To change the text string, tab into **Edit mode**. The white rectangle acts as a text cursor. Backspace over "Text" and type your new text. The return key will let you enter multiple lines.






Computer Graphics mp - August 21, 2023

Changing the Style of 3D Text

So far, not very 3D, huh? Tab back to **Object Mode**, click on your text, then click on this **Font** button

Go to the **Geometry** sub-menu

Extrude: give the letters height
Depth: bevel the top and bottom
Resolution: round the bevel

Computer Graphics mp - August 21, 2023

Changing the Look of 3D Text

From here on, your 3D text acts like any other 3D object. It can be grabbed (translated), rotated, and scaled. It can be colored, too.

Oregon State University
Computer Graphics

Edit Mode Subdivision

The Edit Mode subdivision feature adds more vertices, but doesn't do any sort of smoothing (like the Subdivision Surface Modifier does). So, when you are done, you will have more vertices to sculpt with, but, in Object Mode, your object will look exactly the same as it did before.

1. Object Mode
2. Tab into Edit Mode
3. Get Ready to Edit Faces

Oregon State University
Computer Graphics

Edit Mode Subdivision

4. Right-click Subdivide
5. You now have more vertices
6. Tab back into Object Mode

Oregon State University
Computer Graphics

A Multi-Vertex Picking Hint

First, make this model:
 1. Object Mode → Add → Mesh → Cylinder
 2. Tab to Edit Mode → RMB → Subdivide

Edit a vertex

Oregon State University
Computer Graphics

A Multi-Vertex Picking Hint

Now, **LMB-sweep** over these vertices. (I call them the "equator" or the "belt".)

But, if you do that, you will only end up selecting the front vertices, that is, *the ones you can see*.

The trick is to go into **X-ray Mode**, by clicking here.

This will now let you select *all* the points in the belt.

Oregon State University
Computer Graphics

A Multi-Vertex Picking Hint

Why do that? Well, if you have those vertices selected and you hit the **s** key (for scale) and move the mouse, then you can get this:

Or, this:

Oregon State University
Computer Graphics

A Multi-Face Picking Hint

To create this model:

1. Add → Cube
2. Tab to Edit Mode → RMB → Subdivide → Subdivide

Suppose you want to select an entire row of faces in order to "fatten the belt". You could select all the faces individually (**LMB** → **Shift-LMB**). But, here's a better trick

1. Click on one face in the row
2. **Alt-LMB** on another face down the row

Face Select Mode

Oregon State University Computer Graphics

A Multi-Face Picking Hint

Scaling ('s')

Oregon State University Computer Graphics

A Face Picking Hint

Similarly, if you put yourself into face-picking mode:

And click on the top face of the cylinder (don't need the belt and don't need to be in X-ray Mode for this):

And hit the **r** and **z** keys (for rotate about the **z** axis) and move the mouse, then you get this:

Oregon State University Computer Graphics

Intentionally Joining Two Objects

Let's say that you have two objects and want to join them together so that you can act on them as one object.

Oregon State University Computer Graphics

Intentionally Joining Two Objects

Easy! **LMB** on one, then **Shift-LMB** on the other, then hit **Control-J** ("Join") on the keyboard. The orange "selection outline" now goes around both objects and the outliner shows just one object.

Oregon State University Computer Graphics

Separating Objects By Loose Parts

Select the Joined object. Tab over to **Edit Mode**. Then hit the '**p**' key ("Partition"). You will then have three options on how to partition the joined object. If you select **By Loose Parts**, then the Joined object will be partitioned based on the original primitives that made it up.

Oregon State University Computer Graphics

Inset Faces (aka, Offset Curves)

Often you want to create a "face-within-a-face". In Blender, this is called an **Inset Face**. (CAD systems often call this sort of thing an **Offset Curve**.)

In **Edit Mode**, select the top face.

Then, either **RMB** → **Inset Faces**, or click on this icon on the left side:

Face Context Menu

- Subdivide
- Extrude Faces
- Extrude Faces Along Normals
- Extrude Subdivided Faces
- Inset Faces**
- Poke Faces
- UV Unwrap Faces
- Triangulate Faces
- Tris to Quads
- Shade Smooth
- Shade Flat
- UnSubdivide
- Split
- Separate
- Dissolve Faces
- Delete Faces

Oregon State University Computer Graphics

Inset Faces (aka, Offset Curves)

With the LMB, push the little handle down until the Inset Face is the size you want.

At this point, you can select the inner face and hit **g** and **z** (grab in the z direction) to do this, or this.

Try rotating or scaling the inner face.

You can also create a new inset face inside the inset face you just created.

Oregon State University Computer Graphics

Extrude Tool

Start with a cube

Tab into **Edit Mode**.

Select **X-ray mode** and select **all vertices**

Tab into **Edit Mode**. Click on the **Extrude Tool**

Oregon State University Computer Graphics

Extrude Tool

I like **XYZ mode** so that you can extrude in any direction

Grab one of the **+**'s and pull

You can even keep doing it

When you get back to Object Mode, you will find that all of these are part of the same object.

Oregon State University Computer Graphics

Spin Tool

Start with a cube translated along the x axis (**gx**)

Tab into **Edit Mode**. Click on the **Spin Tool**

Tab into **Edit Mode**. Click on the Spin Tool

Oregon State University Computer Graphics

Spin Tool

Pick the number of duplicates to make

Pick the axis/axes about which to spin

Be sure all of the object's vertices are selected.

Grab one of the blue **+**'s and rotate

Oregon State University Computer Graphics

Vertex Groups

Using a group of vertices together is very useful. It is used for editing (like we are doing here), but also to pin certain vertices for cloth animation, to grow hair for hair simulation, and to rig objects for animation.

For that reason, Blender allows you to select the group and give them a name for later. This is called a **Vertex Group**.

1. Select the vertices in Edit Mode (Shift-LMB)
2. Select the **Object Data Properties** button
3. Click the **+** to add this as a new Vertex Group

Oregon State University Computer Graphics

Vertex Groups

4. Double-click on whatever the default name is ("Group" in this case) and type in a descriptive name for this Vertex Group
5. Click **Assign**

From now on, this group of vertices can be selected just by selecting the name from the list of Vertex Groups and clicking **Select**.

Oregon State University Computer Graphics

Extruding Faces – three ways

Extrude Individual Faces (cracks in between skyscrapers)

Extrude Faces Along Normals (push each face perpendicular to the surface)

Extrude Faces (push each face along the group average perpendicular to the surface)

Oregon State University Computer Graphics

Shrink/Fatten and Push/Pull

Find this edit icon in the column on the left side of the screen. Click it with the LMB and leave the button down for a couple of seconds.

Shrink/Fatten and Push/Pull are very much like extruding faces. Here are the differences:

- Extruding** lifts the selected faces along their normals. It leaves behind a "cliff" that connects them to the surrounding faces.
- Shrink/Fatten** lifts the selected faces along their normals, but leaves behind a "ramp" connecting those faces to the surrounding ones.
- Push/Pull** essentially scales the selected faces around their centroid.

For example, suppose we start with this object and these selected faces

Every one of the edit-icons that has a little arrow in the lower-right corner expands in this same way. Check 'em out!

Oregon State University Computer Graphics

Extrude, Shrink/Fatten, and Push/Pull

	Extrude	Shrink/Fatten	Push/Pull
Out			
In			

Oregon State University Computer Graphics

The Button Properties Menu, Again

- Render Properties
- Output Properties
- View Layer Properties
- Scene Properties
- World Properties
- Object Properties
- Modifier Properties**
- Particle Properties
- Physics Properties
- Object Constraint Properties
- Object Data Properties
- Material Properties (colors)
- State Properties
- Texture Properties

Clicking one of these brings up a much more detailed menu of options

Oregon State University Computer Graphics

The Modifiers Menu

Modifiers don't actually change the object's *permanent geometry* – just the object's *appearance* on the screen. The geometry gets permanently changed only if you click the **Apply** button

133

Blender Modifiers

Modifiers don't actually change the object's *permanent geometry* – just the object's *appearance* on the screen.

You Create an Original Object → You Apply a Blender Modifier → You See a Modified Object on the Screen

Cube with Bevel Modifier in Edit Mode

134

The Modifiers Menu

Modifiers don't actually change the object's *permanent geometry* – just the object's *appearance* on the screen.

Example: Here a cube has been beveled (one of the Modifiers). In Edit Mode you can see both the beveled cube and the original cube. You can edit the vertices and the new shape will get beveled as you edit.

135

My Favorite Modifier -- Subdivision Surface

This modifier increases the number of polygons in your object. At the same time, it smooths your object out. Be careful! It very quickly increases your polygon count.

This controls how much to subdivide. Here we've changed this value from 1 to 2.

Fun: try it on a cube!

136

Deleting and Moving Modifiers

Oftentimes you have a list of several Modifiers that are used with a single object. The Modifiers take effect in the order that they are in the list. To change this, you can:

- Delete a Modifier
- Move a Modifier elsewhere in the list and thus change how it modifies the object

137

Making Your Modifier Effect Permanent

Despite the name, Modifiers do not actually modify the object's underlying coordinates. They create an "alternate representation" that you can see. Most of the time, this is good. It lets you edit the underlying coordinates and have the Modifier then use them. If you want the Modifier to change the object's underlying coordinates permanently, bring up this sub-menu and click on **Apply**.

138

Bevel Modifier

139

Beveling causes edges to be rounded instead of sharp

How much to bevel

Smooth shading makes bevels look much better!

No beveling Segments = 1 Segments = 2 Segments = 3

Computer Graphics mp - August 21, 2023

Remember Venn Diagrams (Boolean Operators)?

140

Two Overlapping Shapes Union

Intersection Difference

Oregon State University Computer Graphics mp - August 21, 2023

Booleans (also known as Constructive Solid Geometry)

141

Think of them as Venn diagrams in 3D!

Two Overlapping Solids Union

Intersection Difference

Oregon State University Computer Graphics mp - August 21, 2023

Boolean Modifier

142

"Block minus Cylinder"

1. Select the cube
2. Click on **Modifiers**
3. Select the Modifier called **Boolean**
4. Specify the **Difference** Operator
5. Specify the **Cylinder** as what to the difference with
6. Click **Apply**

Oregon State University Computer Graphics mp - August 21, 2023

Boolean Modifier

143

Select the cylinder, hit **g** (grab) and slide the cylinder away

Oregon State University Computer Graphics mp - August 21, 2023

The Resolution of the Second Object Determines the Resolution of the Resulting Surface

144


First object Resulting surface Second object

Oregon State University Computer Graphics mp - August 21, 2023


Remember 3D Text? One Fun Thing to do with Booleans is to Attach Text to a Block


145

Start with a block and the text:



You cannot Boolean with text, so convert the text to a mesh first. **RMB→Convert To→Mesh**




 Oregon State University Computer Graphics mp - August 21, 2023


Now, Cut Down the Triangle Detail in the Text


146

Unfortunately, meshing text gives it a lot of scrawny triangles, which doesn't work well with Booleans. We need to collapse some detail using the **Decimate** Modifier.



Now turn down the **Ratio** until you see the text start to distort




 Oregon State University Computer Graphics mp - August 21, 2023


Cutting Down Triangle Detail on the Text

147


Now turn down the **Ratio** until you see the text start to distort




Now turn the **Ratio** back up a little until the text looks OK.



Go to the down arrow and select **Apply**.




 Oregon State University Computer Graphics mp - August 21, 2023


Now Boolean the Text with the Block


148

Union



Difference




 Oregon State University Computer Graphics mp - August 21, 2023


The Mirror Modifier

149

Let's say that you want to create a mirror image of the monkey, but by using a Modifier, the mirror monkey will be linked to the original monkey so that any edits you do to the original will automatically end up in the mirror object.




But, that mirrored object will reflect about the object origin, this little dot right here. Which means that you will end up with something like this, which is probably not what you wanted.

 Oregon State University Computer Graphics mp - August 21, 2023


The Mirror Modifier


150

So, the first thing we need to do is to move the object away from the little dot. You do this by Tabbing into **Edit Mode** and grabbing all the vertices and sliding them (**gy**). In Edit Mode, the dot doesn't move when you do this:



Now, Tab back to **Object Mode**, add the **Mirror Modifier**, and select **Y**.



 Oregon State University Computer Graphics mp - August 21, 2023

The Mirror Modifier

So, now if you sculpt the original object, the mirrored object will get the same edits.

This is often good for creating a full object by only creating one half of it (e.g., a car) and mirroring it.

Oregon State University Computer Graphics | 151 | 8/21/2023

Array Modifier

The Array Modifier is used to duplicate an object according to a particular pattern. Suppose we want to turn a block into a staircase. We start with the block and add an Array modifier.

Apply button (if we want to make this permanent)

The duplication count

How much to offset each duplication. It can be Constant, that is, based on a number of units. Or it can be Relative, that is, based on a number of size-of-this-object

Oregon State University Computer Graphics | 152 | 8/21/2023

Array Modifier to Make Stairs

Move each block in Y and Z to make the next stair step

How many total steps to make

Oregon State University Computer Graphics | 153 | 8/21/2023

Screw Modifier

Before

After

Oregon State University Computer Graphics | 154 | 8/21/2023

Wireframe Modifier

Turns each polygon into thick lines outlining each polygon

How thick to make the thick lines

But, these lines have thickness, keeping this as a Mesh.

Oregon State University Computer Graphics | 155 | 8/21/2023

Modifier Order Matters !

Subdivision Surface, then Wireframe

Wireframe, then Subdivision Surface

Oregon State University Computer Graphics | 156 | 8/21/2023

The Lattice Modifier

157

Add a UV Sphere

Oregon State University Computer Graphics mp - August 21, 2023

The Lattice Modifier

158

In **Edit Mode**, select a group of sphere vertices and assign them as a **Vertex Group**

Hints:

1. Select the vertices in **Orthographic** and **X-ray** display modes
2. Double-click on the default name of the Vertex Group to give it a better name

Oregon State University Computer Graphics mp - August 21, 2023

The Lattice Modifier

159

Click the **Lattice** button and (perhaps) add more lattice detail.

Add a Lattice to the scene.

Oregon State University Computer Graphics mp - August 21, 2023

The Lattice Modifier

160

Add a **Lattice Modifier** to the sphere.
Tell it the name of the lattice and the name of the Vertex Group to use

Oregon State University Computer Graphics mp - August 21, 2023

The Lattice Modifier

161

In **Edit Mode**, grab vertices and slide them:

Oregon State University Computer Graphics mp - August 21, 2023

The Shrinkwrap Modifier

162

Turn on both **X-ray Mode** and **Wireframe Mode**

Add a UV Sphere and a Cone. Either scale the sphere up or scale the cone down so the cone is inside the sphere.


Oregon State University Computer Graphics mp - August 21, 2023

The Shrinkwrap Modifier

163

Click on the sphere and select the Shrinkwrap Modifier

Select the cone as the Target




Adjust the Offset value. Positive values make most sense, but negative values are fun too!

Oregon State University Computer Graphics

mp - August 21, 2023

The Shrinkwrap Modifier

164



Offset = 2

Offset = 1

Offset = 0

Offset = -1

Offset = -2

Oregon State University Computer Graphics


mp - August 21, 2023

The Build Modifier


165

I suspect this is more applicable to engineering-ish objects, but it fun no matter what. Let's use our old friend Suzanne the monkey.

Go to **Modifiers** → **Select Modifier** → **Build**
 You get the following Modifier box. All the values are good defaults:



At this point, Suzanne has disappeared. What? To bring her back, grab the blue animation time slider and slowly move it to the right:




Oregon State University Computer Graphics

mp - August 21, 2023

The Build Modifier

166



Oregon State University Computer Graphics


mp - August 21, 2023

The Displace Modifier

167

This Modifier pushes vertices out perpendicular to the surface. I would describe it as "puffing out the object".

Go to **Modifiers** → **Select Modifier** → **Displace**
 You get the following Modifier box. If your object suddenly looks weird, don't worry! Set this value to **0**:




Now, slowly increase to Strength to be greater than 0. What happens? Is it possible to set it to a value less than 0? What happens?

Oregon State University Computer Graphics

mp - August 21, 2023

The Displace Modifier

168



Strength = 0.0

Strength = 0.3

Strength = -0.3

Oregon State University Computer Graphics

mp - August 21, 2023

Texture Pattern Displacements

169

Remember the texture "name" (Texture.002) – you will need it later.

Select which texture you want for the displacement pattern. I like Voronoi because of the cells

Click on the **Texture Property** button

Oregon State University Computer Graphics

mpb - August 21, 2023

Texture Pattern Displacements

170

Create an object, add a couple of levels of **Subdivision Surface Modifier**, then add a **Displace Modifier**.

Oregon State University Computer Graphics

mpb - August 21, 2023

Texture Pattern Displacements

171

Displace Modifier

Click here and select the texture name from before.

Select **Normal** (in computer graphics, *normal* means "perpendicular to the surface").

Experiment with different values of Strength.

Oregon State University Computer Graphics

mpb - August 21, 2023

Texture Pattern Displacements

172

Strength = 0

Strength < 0

Strength > 0

Aren't you glad you didn't have to sculpt this yourself? ©

Oregon State University Computer Graphics

mpb - August 21, 2023

Metaball Objects

173

Metaball Objects are another way to 3D model:

Oregon State University Computer Graphics

mpb - August 21, 2023

Metaball Objects

174

The cool thing is that, if you move (g) them close enough, they will "glom" into a single object

Oregon State University Computer Graphics

mpb - August 21, 2023

Metaball Objects

175

There is a special Metaball properties menu to control their characteristics:

Oregon State University
Computer Graphics

mp - August 21, 2023

Metaball Objects

176

But, Metaball Objects are not meshes, so you cannot do a lot of the cool editing that you can with meshes. But, you can turn such an object into a mesh by selecting **Object** → **Convert To** → **Mesh from Curve/Meta/Surf/Text**

After tabbing into Edit Mode

Oregon State University
Computer Graphics

mp - August 21, 2023

Parent-Child Relationships in Modeling

177

Many times, one object is connected to another object. In modeling, this is called a **Parent-Child relationship**. (It is also sometimes called a Hierarchical Relationship.)

When the Parent moves, the Child moves with them.

When the Child moves, the Parent is unaffected.

This is *really* useful!

Child
Parent

To do this in Blender:

1. Move the Child's pivot-point to where you want it connected to the Parent
2. Select the Child piece
3. Shift-select the Parent piece
4. Hit **Control-'p'** on the keyboard

You can create as many levels of Parent-Child relationships as you want. As the song goes:

"The foot bone's connected to the ankle bone, the ankle bone's connected to the leg bone, the leg bone's connected to the thigh bone, ..."

Oregon State University
Computer Graphics

mp - August 21, 2023

Parent-Child Relationships in Modeling

178

If you rotate the blue (child) piece, then just it will move

If you rotate the yellow (parent) piece, then both it and the child piece will move

Oregon State University
Computer Graphics

mp - August 21, 2023

Importing Objects from Other Places

179

Select **File** → **Import**

Collada = export format from game modeling systems

Stl = 3D printer format

3ds = format from Autodesk 3D Studio

Obj = Probably world's most common export format There are a *ton* of .obj models for free on the Internet! Google the phrase: **free obj files**

.obj files are also pretty straightforward to create. So, if you have a shape in mind and can write a computer program to generate it, you can write your own .obj file and Import it into Blender.

Oregon State University
Computer Graphics

mp - August 21, 2023

Importing Objects from Other Places

180

File = **dino.obj**

You can get this file from the web page: <http://cs.oregonstate.edu/~mjb/blender>

As-is, flat shaded

Subdivision surfaced + Smooth shaded


Oregon State University
Computer Graphics

mp - August 21, 2023

Importing Objects from Other Places

181

Abusively edited



Oregon State University
Computer Graphics

img - August 21, 2023

Importing Objects from Other Places

182

Here are some places to find OBJ files to use yourself:

- <https://polyhaven.com/>
- <http://thefree3dmodels.com>
- <https://free3d.com/3d-models/star-wars>
- <http://lodbook.com/models>
- <http://people.sc.fsu.edu/~jburkardt/data/data.html>
- <https://sketchfab.com/features/free-3d-models>
- <http://www.chromosphere.com/3dmodels.html>
- <http://www.turbosquid.com/Search/3D-Models/free/obj>


Or, Google the phrase: **free obj files**

Oregon State University
Computer Graphics

img - August 21, 2023

Exporting Objects to Other Places

183



Blender has a number of file formats it knows how to export to. If you are looking for a nice, general one to experiment with, try the .obj format.

Just be sure to use the RMB menu to select **Shade Smooth** first

Select **File** → **Export** → **Wavefront (.obj)**


Oregon State University
Computer Graphics

img - August 21, 2023

Exporting to an OBJ File

184

This is the Blender file-output selection dialog box:




OBJ-specific settings (see next slide)

Oregon State University
Computer Graphics

img - August 21, 2023

OBJ-Specific File Settings

185



In the export dialog, be sure to click on

- **Write Normals**
- **Include UVs**
- **Triangulate Faces**

Oregon State University
Computer Graphics

img - August 21, 2023

7. Rendering

186



Oregon State University
Computer Graphics

img - August 21, 2023

On-screen Rendering Mode

187

We have been using this one. This one gave you good generic lighting so you could model without worrying about light sources.

Now switch to this one. This one will give you a pretty-good preview of what happens when you actually render the scene. But, we now have to deal with Rendering specifics.

Oregon State University Computer Graphics

ipb - August 21, 2023

Rendering

188

"Rendering" is Blender's process for creating *really* high-quality images. Click on **Render** → **Render Image** or hit the **F12** key (you might have to hit the **fn** key at the same time). The rendering operation can often take some time, depending on how complex your scene is.

Oregon State University Computer Graphics

Rendering Properties

189

Clicking on the **Rendering Properties** button will allow you to set various rendering parameters. The one you care about the most is Sampling resolution.

You want at least some **Anti-Aliasing**, which is done by making more than one sample per pixel. 64 and 16 are good values.

The rest of these are interesting, but not needed right now.

Oregon State University Computer Graphics

ipb - August 21, 2023

Output Properties

190

Clicking on the **Output Properties** button will allow you to set various rendering parameters. The one you care about the most is pixel resolution.

These are OK values, but you can improve your rendering speed by making them smaller. Don't make them smaller by changing the 1920x1080, make them smaller by changing the 100%.

Notice that the image aspect ratio being used here is 16:9 (=1920:1080). This is the most common aspect ratio today for TVs and computer monitors.

The rest of these are interesting, but not needed right now.

Oregon State University Computer Graphics

What is Anti-aliasing?

191

Anti-aliasing is a good-news bad-news joke.
 Good news: the scene looks much smoother
 Bad news: the scene takes longer to generate
 Good news: you probably want to do it anyway

Oregon State University Computer Graphics

ipb - August 21, 2023

Anti-aliasing is Implemented by Oversampling within Each Pixel

192

NVIDIA

Oregon State University Computer Graphics

ipb - August 21, 2023

Lighting

193

Let's say that you are in **Solid Shading Mode** and your scene situation looks like this

You now change to **Render Mode** and get this:

Blech! Why is the bottom part of my scene so dark?

Oregon State University Computer Graphics mp - August 21, 2023

Lighting

194

The answer is that **Solid Shading Mode** doesn't require your scene to be lit but **Render Mode** does.

Oregon State University Computer Graphics mp - August 21, 2023

Lighting

195

By default, your scene has a single light in it. It looks like this.

If you can't find it, try zooming out.

If you still can't find it, select it in the **Outliner**.

This is like any other object.

Oregon State University Computer Graphics mp - August 21, 2023

Lighting

196

A light is like any other object. It can be LMB clicked on (or selected in the **Outliner**). It can be grabbed (**g**) and moved around. Moving it around will change how the lighting looks.

Oregon State University Computer Graphics mp - August 21, 2023

Lighting

197

But, to make this work better, you probably want to add more lights.

Oregon State University Computer Graphics mp - August 21, 2023

Lighting

198

There are four types of **Lights** that you can **Add**

1. A **Point** Lamp shines light in all directions. The light is local to the scene. This is usually the best type of light to start out with.
2. A **Sun** Lamp appears to come from a single direction and its rays are parallel. This acts as if the light is very far away.
3. A **Spot** Lamp is like a Point Lamp, but only shines in one particular direction.
4. An **Area** Lamp is light coming from a finite surface, like most lights really are.

Oregon State University Computer Graphics mp - August 21, 2023

Lighting – try this

1. Add another Point Light
2. Position the Light ('g').
3. The Point Light has no obvious local coordinate system, so it just uses the global coordinate system.
4. As you move the Light, you will see the lighting of the scene change.
5. You will probably have to rotate the scene (MMB) to get the light position where you think it should be. Or, you can also toggle the **Quad View** mode (Control-Alt-q).

Oregon State University
Computer Graphics

Lighting – Quad View

Oregon State University
Computer Graphics

Lighting – Quad View

Oregon State University
Computer Graphics

Lighting – Properties

This preview shows how the Light spreads out

What color to make the Light

How bright to make the Light shine.

Be sure this is clicked on in order to get this light to cast shadows

Oregon State University
Computer Graphics

Lighting – What does it Mean to Have a Colored Light?

What the light can produce

What the eye sees

What the material can reflect

$$E_R = L_R * M_R$$

$$E_G = L_G * M_G$$

$$E_B = L_B * M_B$$

Oregon State University
Computer Graphics

Lighting – Principles

In modeling, rendering, and animation, there are two major roles that lights play:

1. Key
2. Fill

Let's say we want to put a spotlight on the Monkey (and who doesn't?). We add a Spot Light. We position it over the Monkey and angle it down, like this. This is our "Key Light". It does what we most want to do.

We render and get this.

The Key Light is working really well, but the rest of the scene is too dark. We now need to use one or more Fill Lights.

Oregon State University
Computer Graphics

Lighting – Principles

205

We Add a Point Light and position it over the scene. Because we are in Render Mode, we can interactively see when we have it positioned well.

The scene looks much better. But, there are still two problems.

1. The rest of the scene is now bright enough that our "star" is no longer highlighted.
2. The Fill Light is casting another shadow which is distracting.

Computer Graphics mpb - August 21, 2023

Lighting – Principles

206

So, we make two adjustments to our Fill Light:

We lower its brightness.

We un-click here to force it to not cast shadows.

Computer Graphics mpb - August 21, 2023

Rendering

207

The view that is rendered is not the same orientation that you see on the screen. It is from the **Camera position**, which needs to be set separately.

If you the Camera icon, LMB click on it. If you don't see it, zoom out some. If you still don't see it, click on the Camera in the Outliner.

Computer Graphics mpb - August 21, 2023

The Camera

208

Where the eye is looking towards

The "up vector"

The eye's position

Computer Graphics mpb - August 21, 2023

The Camera

209

The camera is just like any other object in the scene.

1. It can be selected with a LMB click
2. It has its own local coordinate system attached to it.

Note the local coordinate system for the camera:

- X is to the right of where the eye is looking
- Y is the up-vector
- Z is opposite of where the eye is looking

This is useful to know. For example, to dolly the camera in or out, select it and then move it in its local coordinates:

g → z → z

Computer Graphics mpb - August 21, 2023

Aligning The Camera to Your Current Screen View

210

But, if you like your current screen view and want to move the camera there, just do this:

View → Align View → Align Active Camera to View

Computer Graphics mpb - August 21, 2023

Setting a Background Color

Click on the **World Properties** button

Click on **Color** and dial in the background color

Oregon State University
Computer Graphics

Setting a Background Color

This only takes effect when rendering!
So, you must either be in **Render Preview mode**, or you must have done a **Render**

Oregon State University
Computer Graphics

Screen Space Ambient Occlusion

Ambient Occlusion is a great computer graphics trick in which crevices are artificially darkened, heightening the sense of 3D-ness. You must be using the **Eevee** renderer to make this happen.

Oregon State University
Computer Graphics

Bloom

Bloom is a rendering technique that emphasizes lighting "flares". You must be using the **Eevee** renderer to make this happen.

Oregon State University
Computer Graphics

Screen Space Reflections

Screen Space Reflections are a quick way to generate the appearance of internal reflections in your object. You must be using the **Eevee** renderer to make this happen.

Oregon State University
Computer Graphics

Superimposed Wireframes

I don't know why I find this so pleasing to look at. I just do.

Oregon State University
Computer Graphics

Triggering a Rendering

217

What you see on your screen

What you see on the separate render window

Oregon State University Computer Graphics
mp - August 21, 2023

What You See in the Separate Render Window

218

University Computer Graphics
mp - August 21, 2023

Saving a Rendered Image to a File

219

Oregon State University Computer Graphics
mp - August 21, 2023

Saving a Rendered Image to a File

220

Amount of compression

Image file type

Computer Graphics
mp - August 21, 2023

Saving a Rendered Image to a File

221

Different image file types
(PNG is good if you don't have any preference)

Oregon State University Computer Graphics
mp - August 21, 2023

Saving a Rendered Image to a File

222

If this is called **Compression**, then smaller numbers will give you a larger image file with greater image quality.

If this is called **Quality**, then larger numbers will give you a larger image file with greater image quality.

Oregon State University Computer Graphics
mp - August 21, 2023

Saving a Rendered Image to a File

There is an important trade-off between image file size and the image **Quality** you set. There is also a trade-off between image size and web page download time.




JPEG: 10% Quality setting
11 KBytes



JPEG: 100% Quality setting
72 KBytes

Oregon State University Computer Graphics August 21, 2023

Importing an Image into PowerPoint



Oregon State University Computer Graphics August 21, 2023

Importing an Image into HTML (i.e., a web page)


Add this line to your HTML file:

``

Oregon State University Computer Graphics August 21, 2023

Another Type of Rendering


There is an additional internal renderer called **Freestyle**. Suppose you start with this scene:




Oregon State University Computer Graphics August 21, 2023

Another Type of Rendering

You render it, and the image looks like this:




Now, go to the **Render Properties** menu and turn on **Freestyle**



Oregon State University Computer Graphics August 21, 2023

Freestyle Rendering

You render it again, and now you get this:



The computer graphics world calls this **Non-Photorealistic Rendering**, or **NPR**. It is good for illustrations where you want to see objects and outlines more than you want to see realism.

Oregon State University Computer Graphics August 21, 2023

Freestyle Rendering

229

If you look under the **View Layer Properties** button, you will find a lot of Freestyle adjustments that you can make.

Oregon State University
Computer Graphics

8. Particle Systems

230

Oregon State University
Computer Graphics

mp - August 21, 2023

Particle System Examples

231

Oregon State University
Computer Graphics

mp - August 21, 2023

Particle System Examples

(Particles don't have to actually be particles.)

232

Oregon State University
Computer Graphics

mp - August 21, 2023

Particles Bouncing Off Other Objects

233

Oregon State University
Computer Graphics

mp - August 21, 2023

Particles- The Setup

234

1. Select the object to emit the particles from, then click this property button
2. Click the **+** sign to start a new particle system
3. Set the number of particles

Optional: Set the particles' initial velocities - see the next slide

Optional: Set the rendering properties -- see two slides from here

Oregon State University
Computer Graphics

mp - August 21, 2023

Particles – Expand the Velocity Dialog Box

235

The velocity perpendicular to the surface

The velocity parallel to the surface

Normal 1 m/s

Tangent 0 m/s

Tangent Phase 0.000

Object Aligned X 0 m/s

Y 0 m/s

Z 0 m/s

Object Velocity 0.000

Randomize 0.000

Oregon State University Computer Graphics

mp – August 21, 2023

Particles – Expand the Render and Viewport Display Dialog Boxes

236

What material definition to color the particles with

What particles to draw (this is fun to change!)

If you like physics, change this to velocity

Start with a small size, like this, but then experiment

Render As Halo

Scale 0.050

Scale Randomness 0.000

Material Default Material

Coordinate System

Extra

Show Emitter

Viewport Display

Display As Rendered

Color Material

Amount 100%

Size 0.1 m

Show Emitter

Oregon State University Computer Graphics

mp – August 21, 2023

Particles Bouncing Off Other Objects

237

Click here to start the particle animation

Hit the ESC key when you want it to stop

Oregon State University Computer Graphics

mp – August 21, 2023

Particles Bouncing Off Other Objects

238

1. Draw a plane to bounce particles from
2. Click the **Physics Property Button**
3. Click on the **Collision** option
4. Turn on the animation

Oregon State University Computer Graphics

mp – August 21, 2023

Particles Bouncing Off Other Objects

239

Physics properties of the surface being bounced off of

Bouncing particles

Force Field

Soft Body

Collision

Fluid

Cloth

Rigid Body

Dynamic Paint

Rigid Body Constrains

Collision

Field Absorption 0.00

Particle

Permeability 0.000

Stickiness 0.000

Kill Particles

Damping 0.000

Randomize 0.000

Friction 0.000

Randomize 0.000

Softbody & Cloth

Damping 0.100

Thickness Outer 0.000

Inner 0.200

Friction 5.000

Single Sided

Override Normals

Oregon State University Computer Graphics






mp – August 21, 2023

Something fun – Tip the Plane

240

Oregon State University Computer Graphics

mp – August 21, 2023



Particle Systems for Hair

1. Select the object to emit the hair from, then click this property button
2. Click the + sign to start a new particle system
3. Select Hair
4. Set the number of strands
5. Set the hair length
6. Set the number of segments per strand
7. Apply physics to the hairs
8. Set the rendering properties

Oregon State University Computer Graphics

It Will Start Out Looking Terrible

Try setting the hair length to something small-ish like 0.5

Oregon State University Computer Graphics

Making the Hair Droop

Turn on and expand Hair Dynamics

Start animating

Oregon State University Computer Graphics

Making the Droop Permanent

Get the droop the way you want it

Select **Modifiers** – a ParticleSystem modifier will already magically be there

Click on **Convert to Mesh**. This will turn the hair into a mesh object.

Oregon State University Computer Graphics

Making the Droop Permanent

Before clicking Convert

After clicking Convert

But, this new mesh is *independent* of the object that particle'd it. To make them one object, select both and hit **Control-J** ("join")

Oregon State University Computer Graphics


Making the Droop Permanent

Oregon State University Computer Graphics

Boids Particle Systems 253

Boids are a special particle system technique to simulate living things that naturally want to group together such as flocks of birds, schools of fish, etc.

As before, create an object and attach a particle system to it. Select **Emitter** for the type. Under the **Physics** tab, change Newtonian to **Boids**.




Oregon State University
Computer Graphics

mpb - August 21, 2023

Boids Particle Systems 254

Select the **Boid Brain** tab.

Click the **plus sign (+)**, Select **Follow Leader** from the menu, and use the **arrow symbols** to move it to the top of the list



Oregon State University
Computer Graphics


mpb - August 21, 2023

Boids Particle Systems 255

Create a new object and animate it (keyframe or physics). This will become the "leader" that the boids will follow. If you want to see it, leave it visible. Otherwise, turn its eyeballs off in the **Outliner**.

Now select the object that the boids were created from. In the boids menu area, click in the **Object** area and select the name of the object you animated.


Now, turn on animation and watch the boids follow that object.



Oregon State University
Computer Graphics

mpb - August 21, 2023

Boids Particle Systems 256




The boids now follow the leader


Oregon State University
Computer Graphics

mpb - August 21, 2023

Boids Particle Systems 257




If you just want to see the boids and not the emitter object, go to the **Viewport Display** tab and click the **Show Emitter** checkbox off



Oregon State University
Computer Graphics

mpb - August 21, 2023

9. Physics Animation



Oregon State University
Computer Graphics

mpb - August 21, 2023

Quick Physics Cheats

259

Original Scene

Oregon State University
Computer Graphics

mpb - August 21, 2023

Quick Physics Cheats

260

- Quick Fur
- Quick Explode
- Quick Smoke
- Quick Liquid

Oregon State University
Computer Graphics

mpb - August 21, 2023

There are Eight Types of Physics Simulations

261

Oregon State University
Computer Graphics

mpb - August 21, 2023

Rigid Body Collision Example

262

dominos.blend
dominos.mp4

Set this up using what you know about modeling.
Slightly rotate the left-most domino to the right so that it will tip and start the sequence.

Oregon State University
Computer Graphics

mpb - August 21, 2023

Let Blender Know You Want to do Rigid Body Physics

263

Click on the **Scene Properties Button**

Set Gravity (this value indicates gravity points downward and has a value of **-9.8 meters/second²**)

Be sure this is turned on

Oregon State University
Computer Graphics

mpb - August 21, 2023

Tell the Physics which Objects will be Involved

264


For each object that will be pulled by gravity (the dominoes and the ball), select the object, click on the **Physics Property Button**, and set the Type to **Active**

Oregon State University
Computer Graphics

mpb - August 21, 2023


Tell the Physics which Objects will be Involved

265



For each object that will *not* be pulled by gravity but will still be involved in the collisions (the floor), select it and set the Type to **Passive**


Rigid Body
Type: **Passive**




mp - August 21, 2023

Turn the Animation On


266



Hit the **Escape** key to stop the animation



dominos.blend
dominos.mp4




mp - August 21, 2023

Setting Gravity


267

In order to do physics animations, Blender needs to have an idea of what Gravity is. The acceleration due to gravity near the surface of the earth is 9.81 meters/sec² (pointing down), which also equals 32.2 feet/sec².

You can set this by clicking on the **Scene Properties Button** and then scrolling down to the **Gravity** dialog area.



This is the default, but you can set Gravity to anything you want, including turning it off completely, or making it point upwards, or making it point sideways.



mp - August 21, 2023


Gravity on Other Worlds

268


The acceleration due to gravity is not the same on all worlds. It depends on the mass of the body and its radius.

For fun, try setting the gravity to the Gravity Acceleration that other bodies have in our solar system:

Body	Gravity Acceleration (m/sec ²)	g's
Mercury	3.70	0.38
Venus	8.87	0.90
Earth	9.81	1.00
Moon	1.62	0.17
Mars	3.71	0.38
Jupiter	24.79	2.53
Saturn	10.44	1.06
Uranus	8.69	0.89
Neptune	11.15	1.14



<https://www.universetoday.com/35565/gravity-on-other-planets/>




mp - August 21, 2023


Gravity on Other Bodies

269

Or, invent your own planet! Pick a different "m/sec²".



21st Century Fox




mp - August 21, 2023

Another Cool Thing: Modeling Cloth

270



Pixar



mp - August 21, 2023

Modeling Cloth – Start with a Cube and a Grid

271

There is a difference in what different Mesh types will do. This needs to be a **Grid** – not a Plane!

Scale the **Grid** by 3 (**s3**) and move it in z (**gz**)

cloth.blend

cloth.mp4

Oregon State University Computer Graphics

mp – August 21, 2023

Modeling Cloth -- Enable Collision with the Cube

272

1. Select the cube.
2. Then go to the **Physics Property Button**.
3. Then click on **Collision**

You don't need to set any other parameters (unless you want to)

Oregon State University Computer Graphics

mp – August 21, 2023

Modeling Cloth – Subdivide the Grid into More Pieces

273

If you select the grid and tab over to **Edit Mode**, you will see that it is already subdivided somewhat. To act as a cloth, we'd like it subdivided some more.

4. Back in Object Mode, select the grid, then select **Modifiers**.
5. Then click **Add Modifier** and select **Subdivision Surface**.
6. Change the **Viewport** parameter from 1 to 2
7. Click the **Apply** button.

Oregon State University Computer Graphics

mp – August 21, 2023

Modeling Cloth – Tell the Grid that it is Really a Piece of Cloth

274

8. Select the grid. Then go to the **Physics Property Button**. Then click on **Cloth**.

You can get away without changing any of these parameters, but, at some point, you will want to experiment with different values of **Stiffness and Damping**.

Oregon State University Computer Graphics

mp – August 21, 2023

Modeling Cloth – Run the Animation

275

9. Select the grid, RMB, then select **Shade Smooth**.
10. Start the animation.

Oregon State University Computer Graphics

mp – August 21, 2023

Baking the Cloth Animation

276

Why does the animation run so slowly? That is because it is computing the simulation while it is animating.

Instead, tell it to precompute the animation. You do this by selecting the **Bake** button (and waiting and waiting).

Now try animating.

Oregon State University Computer Graphics

mp – August 21, 2023

Cloth Animation with Color, Texture, and Lighting

277

cloth.mp4

Oregon State University Computer Graphics

8/21/2023

What if You Want the Cloth to Retain its Animated Shape Forever ?

278

That is, supposing you have used a cloth animation to drape a tablecloth over a table and now want to leave it that way.

You start with this:

Then, with the cloth selected, go to the **Modifier** menu. You will see the **Cloth** modifier already magically there. Select the down arrow and click on **Apply**.

Oregon State University Computer Graphics

Cloth Animation: Pinning Vertices

279

One of the many fun parts of cloth animation is pinning some of the vertices. There are lots of reasons to do this, such as to pin the edge of a flag to its flagpole, or to pin a cloth to a clothesline.

To do this, Tab into **Edit Mode**, **Shift-LMB** the vertices to be pinned, and create a **Vertex Group** from them. (This was described in more detail in the Modeling section of these notes).

Oregon State University Computer Graphics

8/21/2023

Cloth Animation: Pinning Vertices

280

In the Cloth section of the grid's **Physics** menu, select the name of the Vertex Group to be pinned.

When you re-animate, those vertices will be stationary.

Oregon State University Computer Graphics

Rendering an Animation

281

Render Animation kicks off the rendering of all your animation frames in order

View Animation brings up a separate window and plays back your animation

Hint: if this is just a test render, and you have lots of time-consuming visual effects going on, you might cut down the resolution and/or the number of rendered frames to speed things up.

Oregon State University Computer Graphics

8/21/2023

Cloth Flag Animation: Pinning Vertices

282

We previously had this note-slide in which we looked at creating a vertex group that would become pinned in place. **This slide shows what we did before for pinning the cloth horizontally. Starting on the next slide, we will pin a column of vertices to create a flag waving.**

To do this, Tab into **Edit Mode**, **Shift-LMB** the vertices to be pinned, and create a **Vertex Group** from them. (This was described in more detail in the Modeling section of these notes).

Oregon State University Computer Graphics

8/21/2023

Cloth Flag Animation: Pinning Vertices

283

Create a grid, scale it up, rotate it to be vertical, and subdivide it in Edit mode.

Oregon State University Computer Graphics

mp - August 21, 2023

Cloth Flag Animation: Pinning Vertices

284

Still in Edit mode, switch to **Orthographic** mode and rotate so the cloth is perpendicularly facing you. Unselect everything (click in empty space) then box-select one column of vertices.

Oregon State University Computer Graphics

mp - August 21, 2023

Cloth Flag Animation: Pinning Vertices

285

Click on this icon.

Find the **Vertex Groups** area. Click on the plus sign (+) then click on **Assign**. You can leave these vertices labeled as **Group**, or give them something more descriptive, like **Column**. Tab back to **Object Mode**. Go back to **Perspective Projection**.

Oregon State University Computer Graphics

mp - August 21, 2023

Cloth Flag Animation: Pinning Vertices

286

With the cloth selected, go to the **Physics** icon and select **Cloth**. Scroll down to the **Shape** tab and set the **Pin Group** to whatever name you gave your column of points (**Group**, here).

Oregon State University Computer Graphics

mp - August 21, 2023

Cloth Flag Animation

287

Color and texture the cloth any way you'd like, and turn on the **Animation**.

Oregon State University Computer Graphics

mp - August 21, 2023

To Blow Cloth, We need a Force Field – Attach it to an Empty Object

288

Ironically, one of the most useful objects is the one you can't see. Blender calls this an **Empty**.

It's invisible on the screen, but you can treat it like a real object, and can attach forces to it. These forces will influence the behavior of other objects.


Find the **Empty** under the **Add** tab at the top of the screen. When you click on it, this sub-menu pops up.

Oregon State University Computer Graphics

mp - August 21, 2023

We need a Force Field – Attach it to an Empty Object


289



Surprise! Even though it is invisible, an **Empty** has a shape!

For this exercise, pick the **Single Arrow**


On the screen, it will look like this:



Oregon State University Computer Graphics

Blowing the Cloth -- Force Fields

290



A really good use for **Force Fields** is to blow particles and cloth around

With the **Empty** Object selected, click on the Physics icon and then click on **Force Field**


Oregon State University Computer Graphics

Position and Orient the Empty

291

Using the usual object-rotate commands, orient the **Empty** so that it is pointing at the particles.


Hint: it is easiest to *position* it in Global Coordinates (**g** → **x**) and easiest to *rotate* it in Local Coordinates (**r** → **x** → **x**).



And, under **Force Field Type**, select **Wind**

You will use this to change the **Strength** of the wind


It will look like this on the screen:



Oregon State University Computer Graphics

Cloth Flag Animation: Adjusting the Amount of Fluttering

292




In the **Empty** object, increase the **Strength** and the **Wind Factor**.

In the **Cloth** object, scroll down to the **Field Weights** and increase the **Wind**.

Oregon State University Computer Graphics

Cloth Fluttering Flag Animation

293



fluttering.blend

fluttering.mkv

Oregon State University Computer Graphics

Cloth Fluttering Flag Animation

294



Oregon State University Computer Graphics

Setting up a Fluids Simulation – Create the Domain Object

Step #1: Create the **Domain**, the volume in which the fluid will be simulated. Here, I scaled the default cube by 3 in X, 3 in Y, and 5 in Z.

Step #2: With the cube selected, go to the **Physics** menu, click on **Fluid**, select **Domain**, and select **Liquid**

fluidmonkeycone.blend

mp - August 21, 2023

Setting up a Fluids Simulation – Create the Domain Object

Step #3: Scroll down in the **Physics-Fluid** menu until you find the **Mesh** tab. Turn it on.

mp - August 21, 2023

Setting up a Fluids Simulation – Create the Flow Object

Step #4: Create a mesh object that will be the original location and shape of the fluid. A UV-Sphere works well. A monkey works even better! ☺ This object must lie totally within the Domain. You should probably toggle into **wireframe** mode so you can see inside the Domain.

Position this object near the **top of the Domain**.

mp - August 21, 2023

Setting up a Fluids Simulation – Create the Flow Object

Step #5: With this object selected, go to the **Physics** menu, click on **Fluid**, select **Flow**, and select **Liquid**

mp - August 21, 2023

Setting up a Fluids Simulation – Miscellaneous

Step #6: Miscellaneous Things:

- Change the color of the Domain object (cube) to the color you want the fluid to be. Feel free to change the **Metallic** and **Roughness** parameters as well.
- Change the shading type of the Domain object to **Shade Smooth**
- Hide the Flow object (monkey?) by clicking off its eyeballs in the Outliner
- Select the Domain object, go to the **Physics** menu, scroll down until you see this: Be sure **Liquid** is turned on. Now, go here and select the **other option**. It doesn't make a huge difference which one you pick, but changing the option resets the fluid simulation.

mp - August 21, 2023

Running the Fluids Simulation

Step #7: Run the animation! Go to **Viewport Shading mode** and hit **Play**. The first time through will seem slow because it is computing the frames and storing them. After that, the animation will be much smoother because Blender is playing back your frames.

mp - August 21, 2023

Adding a Barrier

Step #8: Add some shape (a cone perhaps) into the middle of the Domain. Give it a color and the proper shading type. Then, go to the **Physics** menu, click on **Fluid**, and select **Effector**.

The image shows a 3D view of a fluid domain with a yellow cone in the center. To the right, the Properties panel is open to the Physics menu. The 'Fluid' property is selected, and the 'Type' dropdown is set to 'Effector'. Other options like 'Force Field', 'Collision', 'Cloth', and 'Dynamic Paint' are visible.

mp - August 21, 2023

Adding a Barrier

Step 9: Select the Domain object, go to the **Physics** menu, scroll down until you see this again: Go here and select the **other option**. It doesn't make a huge difference which one you pick, but changing the option resets the fluid simulation.

The image shows the Fluid simulation settings panel. The 'Simulation Method' dropdown is set to 'FLIP'. Below it, 'FLIP Ratio' is set to 0.970 and 'System Maximum' is 0. To the right, a 3D view shows a blue fluid simulation on a complex object.

Step 10: Hit Play!

mp - August 21, 2023

10. Appearance, II

mp - August 21, 2023

Procedural Texturing

The image shows a yellow sphere in a 3D view. To the right, the Material Properties panel is open to the 'Surface' tab, showing 'Principled BSDF' settings. The 'Base Color' is set to yellow.

mp - August 21, 2023

Procedural Texturing

1. Leave **Use Nodes** turned on.
2. Select **Principled BSDF** (probably already selected)
3. Here, where you would normally select a color, click on this little circle
4. From that pop-up menu, select **Voronoi Texture** (or one of the others)

The image shows the material editor with 'Use Nodes' checked. The 'Principled BSDF' node is selected. The 'Base Color' field has a small circle next to it, which is highlighted with a red circle. A pop-up menu is shown below it, with 'Voronoi Texture' selected.

mp - August 21, 2023

Procedural Texturing

4. From that pop-up menu, select **Voronoi Texture** (or one of the others)
5. Change the **Scale** to change the size of the Voronoi cells
6. Try changing the **Randomness** as well!
7. As before, changing **Metallic** and **Roughness** affects the shininess.

The image shows the material editor with 'Voronoi Texture' selected. The 'Scale' is set to 8.000, 'Randomness' to 0.275, 'Metallic' to 0.404, and 'Roughness' to 0.167. Two 3D views of a sphere show the resulting Voronoi texture.

mp - August 21, 2023

Blender has these Built-in Procedural Textures

307

The screenshot shows the Blender interface with the 'Texture' menu open. The 'Image Texture' option is circled in red. Other options include Ambient Occlusion, Brick Texture, Checker Texture, Environment Texture, Gradient Texture, Image Texture, Magic Texture, Noise Texture, Point Density, Sky Texture, Voronoi Texture, Wave Texture, and White Noise Texture.

Oregon State University
Computer Graphics
mp - August 21, 2023

Image Texturing

308

Start with a UV Sphere being shown in Render Preview mode

The screenshot shows a UV Sphere in the Render Preview window. A red arrow points from the text 'Start with a UV Sphere being shown in Render Preview mode' to the sphere. Another red arrow points from the top toolbar to the sphere.

Oregon State University
Computer Graphics
mp - August 21, 2023

Image Texturing

309

Says that you want to read a texture image from a file

Click here to open an image file

The screenshot shows the Blender texture selection menu. The 'Image Texture' option is circled in red. Below it, the 'Open' button is also circled in red. A red arrow points from the text 'Says that you want to read a texture image from a file' to the 'Image Texture' option. Another red arrow points from the text 'Click here to open an image file' to the 'Open' button.

Oregon State University
Computer Graphics
mp - August 21, 2023

Image Texturing

310

The screenshot shows a file browser window with a list of files. The file 'worldtex.bmp' is circled in red. A red arrow points from the text 'worldtex.bmp is a good texture to try!' to the circled file.

Oregon State University
Computer Graphics
mp - August 21, 2023

Image Texturing

311

The screenshot shows a sphere textured with a world map. A red arrow points from the text 'worldtex.bmp is a good texture to try!' to the sphere.

Oregon State University
Computer Graphics
mp - August 21, 2023

Image Texturing

312

The screenshot shows four different orientations of a cube textured with a world map: Sphere, Tube, Cube, and Flat.

Oregon State University
Computer Graphics
mp - August 21, 2023

Places to Find Good Texture Images

313

<https://www.shutterstock.com/search/texture>

<https://ambientcg.com/list?sort=Popular>

<https://www.freepik.com/photos/texture>




mpb - August 21, 2023

Turning on the Cycles Renderer



314

We have been using the Eevee renderer and have gotten some very nice results. But, we can do even better with the Cycles renderer.

In the **Rendering Properties** menu, select **Cycles** instead of **Eevee**.



And then select **GPU Compute** instead of **CPU** (it's faster!).






mpb - August 21, 2023

Turning on the Cycles Renderer

315

Then, right below that, turn on **Denoise**





mpb - August 21, 2023


Selecting the GPU Options

316


Select **Edit** → **Preferences**



In the **Preferences** menu, select **System**. These are your GPU options. All might work on your system, or none might work on your system. Depends on what graphics hardware you have.



Try them all to see which you have and which give the fastest Cycles render. On my system, OptiX is fastest, followed by CUDA, and HIP and oneAPI aren't available.



mpb - August 21, 2023

Back to Cycles: Let's Say That We Want to Render This Scene

317




Cube and Monkey are opaque

Sphere is both reflective and refractive

Plane has a checkerboard texture on it

Scene has lighting and shadows

Sphere is both reflective and refractive

refrefr.blend

mpb - August 21, 2023

Making the Sphere Reflective and Refractive

318

Combine refraction and reflection effects together with the Mix Shader

How much to mix each shader



First shader is **Glass** to get the refraction

Transmission color

Index of Refraction

Second shader is **Glossy** to get the reflection

No inherent color in the reflection





mpb - August 21, 2023

Putting a Checkboard Pattern on the Plane

319


1. Leave **Use Nodes** turned on.
2. Select **Principled BSDF** (probably already selected)
3. Here, where you would normally select a color, click on this little circle
4. From that pop-up menu, select **Checker Texture** (or one of the others)
5. Here you can select the two colors making up the checkerboard
6. Change the scale to change the size of the checkerboard squares



University
Computer Graphics
mp - August 21, 2023

Onscreen and Rendered Results with Eevee


320



Oregon State University
Computer Graphics
mp - August 21, 2023

Onscreen and Rendered Results with Cycles


321



Oregon State University
Computer Graphics
mp - August 21, 2023

Rendered Results with Cycles

322





Oregon State University
Computer Graphics
mp - August 21, 2023

Rendered Results with Cycles

323


You may have noticed some "sparkling" in the rendered image on the previous slide. That is a natural artifact of the path-tracing algorithm that Cycles uses. In computer graphics, this is called "render noise". Blender has a denoising feature. All you have to do is turn it on in the **Denosing** tab of the **Render Properties** menu.

Oregon State University
Computer Graphics
mp - August 21, 2023

Rendered Results with Cycles


324



No Denoising
1 minute, 39 seconds

Denoising
2 minute, 14 seconds

BTW, I *don't* recommend you turn Denoising on for the Viewport display. It really slows down your interaction when using Cycles.



Oregon State University
Computer Graphics
mp - August 21, 2023

What is Ray-Tracing?

325

It starts at the eye:

The pixel is painted the color of the nearest object that is hit.

Oregon State University Computer Graphics

mp - August 21, 2023

What is Ray-Tracing?

326

It's also straightforward to see if this point lies in a shadow:

Fire another ray towards each light source. If the ray hits *anything*, then the point does not receive that light.

Oregon State University Computer Graphics

mp - August 21, 2023

What is Ray-Tracing?

327

It's also straightforward to handle reflection

Fire another ray that represents the bounce from the reflection. Paint the pixel the color that this ray sees.

Oregon State University Computer Graphics

mp - August 21, 2023

The Physics of Reflection

328

Normal (Perpendicular) Vector

Law of Reflection:

$$\theta_r = \theta_i$$

Angle of reflection = Angle of incidence

Oregon State University Computer Graphics

mp - August 21, 2023

What is Ray-Tracing?

329

It's also straightforward to handle refraction

Fire another ray that represents the bend from the refraction. Paint the pixel the color that this ray sees.

Oregon State University Computer Graphics

mp - August 21, 2023

The Index of Refraction, η

330

The Index of Refraction (IOR) is a measure of how much light slows down as it passes through a particular material. The larger the IOR, the slower the speed of light in that material. The larger the change in IOR, the more the light will bend as it passes from one material to another.

Snell's Law of Refraction says that:

$$\frac{\sin\theta_2}{\sin\theta_1} = \frac{\eta_1}{\eta_2}$$

Or:

$$\sin\theta_2 = \sin\theta_1 \frac{\eta_1}{\eta_2}$$

Notice that there are certain combinations of the η 's that require $\sin\theta_2$ to be outside the range $-1 \rightarrow +1$, which is not possible. This indicates that the refraction has actually become a reflection.

https://en.wikipedia.org/wiki/Snell's_law

Oregon State University Computer Graphics

mp - August 21, 2023

The Physics of Refraction

Snell's Law of Refraction:

$$\frac{\sin \theta_B}{\sin \theta_A} = \frac{\eta_A}{\eta_B}$$

Material	Index of Refraction
Vacuum	1.00000
Air	1.00029
Ice	1.309
Water	1.333
Plexiglass	1.49
Glass	1.60
Diamond	2.42

http://en.wikipedia.org/wiki/Refractive_index

Common Indices of Refraction

Material	Index of Refraction
Vacuum	1.00000
Air	1.00029
Ice	1.309
Water	1.333
Plexiglass	1.49
Glass	1.60
Diamond	2.42

Something New: Moissanite $\eta=2.62$

<https://discover.charlesandcolvard.com/our-brand/everything-you-need-to-know-about-moissanite-vs-diamond/>

You Can Also use a Mix Shader to Blend Glass and a Texture

11. Vertex Sculpting

Vertex Sculpting

Vertex Sculpting is, well, sculpting vertices. But, in order to do this well, we need a lot of vertices.

Start with a UV sphere mesh object.

Tab over to **Edit Mode**.
RMB → **Subdivide** → **Subdivide**

When you get back to Object Mode, the sphere won't look any different than before because you just subdivided the polygons, not smoothed them. If you had wanted smoothing, you could have used the **Subdivision Surface Modifier**.

Now go to **Sculpt Mode**.

Object Mode
 Object Mode
 Edit Mode
 Sculpt Mode
 Vertex Paint
 Weight Paint
 Texture Paint

Vertex Sculpting

Lots of new options will appear at the top:

- Radius: 50 px (Brush Radius (I like 25-100, depending on the size of the object))
- Strength: 0.500 (Brush Strength (height))
- Brush: (Add Material (+) or Subtract Material (-) Characteristics)
- Texture: (Brush Characteristics)
- Stroke: (Stroking Characteristics)
- Falloff: (Surface Falloff from the Center of the Brush (I like Smoother))
- Cursor: (Symmetry Control (I recommend you click all of these off for now.))
- X, Y, Z: (Symmetry Control)
- Dyntopo: (Dyntopo)
- Remesh: (Remesh)
- Options: (Options)

Vertex Sculpting

337

Go back and forth over the object with the brush to increase the sculpting effect

Add material

Subtract material

Sculpting usually looks better if you quick get over into **Object Mode**, **RMB** → **Shade Smooth**

Oregon State University
Computer Graphics

ipb - August 21, 2023

Vertex Sculpting Options

338

I like this one

Oregon State University
Computer Graphics

ipb - August 21, 2023

Vertex Sculpting Options

339

Brush	Meaning
Blob	Change the local mesh into a spherical shape
Brush	Moves vertices in or out
Clay	Like Brush, but lets you set a plane of action
Clay Strips	Like Clay, but uses a cube to limit the action
Crease	Creates ridges by pulling/pushing vertices and pinching them
Fill/Deepen	
Flatten/Cont	Push/pull vertices towards a plane
Grab	Grab and move a single vertex
Inflate/Deflate	Like Brush, but vertices are moved in the direction of their normal
Layer	Like Brush, but the height is capped
Mask	??
Nudge	Slightly push vertices in a certain direction
Pinch/Magnify	Pinches vertices towards the brush's center
Polish	??
Scrape/Peak	Like Flatten?
Sculpt Draw	Moves vertices in or out
Smooth	Smooth a region by averaging out vertex coords
Snake Hook	Pulls vertices along the brush's path
Thumb	Like Nudge, but over a larger area
Twist	Rotate a single vertex

Oregon State University
Computer Graphics

ipb - August 21, 2023

Vertex Sculpting with Dynamic Topology ("Dyntopo")

340

This cool -- you are really going to like this!

Set the Sculpt Mode to Draw Set Radius to 20 Set Brush Strength to 1.0 Add Material (+)

Surface Falloff from the Center of the Brush to Smoother No Symmetry Click Dyntopo on (if you get a message, just click OK)

Oregon State University
Computer Graphics

ipb - August 21, 2023

Vertex Sculpting with Dynamic Topology ("Dyntopo")

341

Set Dyntopo Detailing to **Brush Detail**

And, have at it!

Oregon State University
Computer Graphics

ipb - August 21, 2023

Vertex Sculpting with Dynamic Topology ("Dyntopo")

342

How does Dyntopo Mode make such a smooth sculpt?
Let's look at this in **Sculpt Mode** and then in **Edit Mode**:

That's why it is called **Dynamic Topology!**

Oregon State University
Computer Graphics

ipb - August 21, 2023

12. Vertex Painting

Oregon State University
Computer Graphics

343

mp - August 21, 2023

Vertex Painting

Vertex Sculpting is, well, sculpting vertices. But, in order to do this well, we need a lot of vertices.

Start with a UV sphere mesh object.

Tab over to **Edit Mode**.
RMB → **Subdivide** → **Subdivide**

When you get back to Object Mode, the sphere won't look any different than before because you just subdivided the polygons, not smoothed them. If you had wanted smoothing, you could have used the **Subdivision Surface Modifier**.

Now go to **Vertex Paint Mode**.

Oregon State University
Computer Graphics

344

mp - August 21, 2023

Setting up for Vertex Painting

Be in **Solid Shading mode**

Brush Color

Mix

Radius 25 px

Brush Radius (I like 25-100)

Strength 1.000

Brush Intensity

Brush Characteristics

Texture

Stroke Characteristics

Falloff

Surface Falloff from the Center of the Brush (I like Smoother)

Oregon State University
Computer Graphics

345

mp - August 21, 2023

A Word on Brush Size

Note: the brush size does not scale with zooming in or out. It stays the same size.

Oregon State University
Computer Graphics

346

mp - August 21, 2023

How Does Vertex Painting Work?

The "paintbrush" only drops "paint" when a vertex is inside the circle brush. This means that the paint does not smear along a nice line but looks splotchy like this.

Oregon State University
Computer Graphics

347

mp - August 21, 2023

How Do We Make it Less Splotchy?

Two approaches:

1. Make the object look smaller. That way more vertices will end up inside the brush circle.
2. Use **Subdivide** or **Subdivision Surfaces** to add more vertices

Oregon State University
Computer Graphics

348

mp - August 21, 2023

Making Your Vertex Painting Show Up

349

Be in Rendered Shading mode

Click on the small circle and select **Mix (Legacy)** from the pop-up menu

Input Texture Color
Ambient Occlusion Brick Texture Bright/Contrast
Attribute Checker Texture Environment Texture Gamma
Color Attribute Environment Texture Hue Saturation Value
Object Info Gradient Texture Invert
RGB Image Texture Mix (Legacy)
Volume Info Magic Texture Noise Texture RGB Curves

Oregon State University Computer Graphics

Making Your Vertex Painting Show Up

350

Christensen-Burley

Base Color Mix

Mix

Clamp

Fac 0.500

Color1

Color2

Subsurface 0.000

Difference

Linear Light

Soft Light

Overlay

Add

Color Dodge

Screen

Lighten

Color Burn

Multiply

Darken

Mix

Clamp 0.500

0.000

1.000

Then click **here** and select **Color Burn** or **Multiply** from the pull-down menu ("Mix" will change to whichever you picked)

Oregon State University Computer Graphics

Making Your Vertex Painting Show Up

351

Base Color Color Burn

Color Burn

Clamp

Fac 0.362

Color1

Color2 Color Attribute | Color

Click here and select a color for the sphere

Fac 0.362

Click and adjust the value of **Fac** (the interpolation Factor)

Input Texture Color
Ambient Occlusion Brick Texture Bright/Contrast
Attribute Checker Texture Environment Texture Gamma
Color Attribute Environment Texture Hue Saturation Value
Object Info Gradient Texture Invert
RGB Image Texture Mix (Legacy)
Volume Info Magic Texture Noise Texture RGB Curves

Oregon State University Computer Graphics

The Fac Parameter Tells Blender What to do on the Parts of Your Object that have both an Object Color and a Paint Color

352

Multiply Fac = 0.00 All Object Color

Multiply Fac = 0.50 Half of Each

Multiply Fac = 1.00 All Paint Color

Oregon State University Computer Graphics

Have a Nice Day!







353

Oregon State University Computer Graphics

13. Keyframe Animation

354

Oregon State University Computer Graphics



Keyframe Animation

361

After a while, your timeline will look like this:

Then, click here and change the type of display to the **Graph Editor**:

Computer Graphics mp - August 21, 2023

Graph Editor

362

Computer Graphics mp - August 21, 2023

Keyframe Animation

363

Your **Graph Editor** window should now look about like this.

Note that Blender has filled in the in-between values for you. (This is the **"In-Betweening"**.)

Computer Graphics mp - August 21, 2023

The Graph Editor Window

364

Click on the triangle. This gives you access to the curves.
 Clicking on the eye toggles whether or not you can see a curve.
 Clicking on the name of the curve makes that the current curve. You can then edit it.

Computer Graphics mp - August 21, 2023

The Graph Editor Window

365

Shortcuts when the cursor is in the **Graph Window**:

Shortcut	What it does
LMB	Select a keyframe dot
Scroll wheel	Zoom in and out of the Graph
MMB	Pan the Graph
Shift-scroll wheel	Pan in Value (vertical)
Shift-MMB	Pan in Value (vertical) and Time (horizontal)
Control-MMB	Scale in Value (vertical) and Time (horizontal)

Computer Graphics mp - August 21, 2023

Animation Mischief 😊

366

Hit the 'n' key. Like in the 3D View, a Number Panel pops up.

Click on the **Modifier** tab.

Then click on **Add Modifier**.

Computer Graphics mp - August 21, 2023

Animation Mischief ☺

367

Select **Add Modifier**.
From the list of Modifiers, select **Noise**.

Suzanne | Verts:2,036 | Faces:1,986 | Tris:3,97

Oregon State University
Computer Graphics

mp - August 21, 2023

Animation Mischief ☺

368

Use this menu to change the noise parameters **scale** and **strength**.
Notice what this does to the curve.
Now play the animation.

Blend Type: Replace

Scale: 1.000

Strength: 1.000

Offset: 0.000

Phase: 1.000

Depth: 0

Influence: 1.000

Oregon State University
Computer Graphics

mp - August 21, 2023

Two Characters Interacting

369

To avoid a collision, the monkey jumps up and the cube squishes

anim2.blend anim2.mp4

Oregon State University
Computer Graphics

mp - August 21, 2023

Animating the Camera and the Lamps

370

Cameras and Lamps are just like any other object. As you have seen, they can be positioned. They can also be keyframe-animated. Like other objects, just select them and hit the 'I' key to insert a keyframe.

Oregon State University
Computer Graphics

mp - August 21, 2023

Animating (almost) Any Parameter

371

One of the many cool things about Blender is that you can do more than just keyframe-animate the objects, you can also keyframe-animate the parameters you are setting. For example, suppose you want to animate the Metallic-ness. To set a keyframe for this, **right click** on the Metallic box and select **Insert Keyframe** from the pop-up menu. Do this for two keyframes and then animate.

Use Nodes

Base Color: 0.000

Metallic: 0.000

Specular: 0.000

Roughness: 0.400

Surface

Diffuse Color

Insert Keyframe

Add Driver: Ctrl D

Open Drivers Editor: #00

Add to Keying Set: #00

Remove from Keying Set: Alt K

Reset to Default Value: Backspace

Copy to Selected: Ctrl C

Copy Data Path: Shift Ctrl C

Copy Full Data Path: Shift Ctrl Alt C

Online Manual: F1

Frame 0 Frame 60

Oregon State University
Computer Graphics

mp - August 21, 2023

Animating a Human-ish Form

372

Start with this ...

and turn it into a Blender model:

model.blend
modelmoved.blend

Oregon State University
Computer Graphics

mp - August 21, 2023

Animating a Human-ish Form

373

But, it's more than just a collection of parts!

Be sure that the origins of the different parts are where you want the part to pivot around.

Then establish the proper parent-child relationships.

mp - August 21, 2023

Animating a Human-ish Form

374

Now tell Blender to do all rotations around each part's origin

mp - August 21, 2023

Animating a Human-ish Form

375

Now try rotating the individual parts.

Be sure you are rotating in local coordinates, e.g., r->y->y

mp - August 21, 2023

Rigging for Animation

376

Laika

There is a time-honored tradition in stop-motion animation to use an internal support, called an **armature**, to help position the object at each frame.

Digital animation has adopted the same technique, and has even retained the same terminology, armature.

The process of creating this digital armature is referred to as **Rigging**.

mp - August 21, 2023

Rigging for Animation

377

Let's say we have a cheesy noodle character named **Mac**. We would like to rig him to bend.

The first step is to create Mac's geometry. In this case, one cylinder was Boolean-subtracted from another and then was **Edit** -> **Subdivide**'d a couple of times.

The second step is to go to the **Add** tab on the Object Tools and click on **Armature**. This brings up the sub-menu here.

mp - August 21, 2023

Rigging for Animation

378

Grab the armature just like you would any other object and position it next to Mac. (I scaled it up a couple of times to make it more visible.)

This is what the pieces of a Blender armature look like. The three sections of one of these bones are the root, the body, and the tip.

mp - August 21, 2023

Rigging for Animation

379

We could put lots of bones in place to animate Mac, but for simplicity we will just use two.

Tab into **Edit Mode**, select the **Armature**, then select **Extrude**. Lift up on the **plus sign**. This will add a second armature on top of the first and connect them tip-to-root. Click here to let go. Tab back to Object Mode.

University
Computer Graphics

mp - August 21, 2023

Rigging for Animation

380

In the **Outliner**, you can see the bones you have created.

Also, in the Properties buttons, you will see that there are now **Armature** and **Bone** buttons.

Oregon State University
Computer Graphics

mp - August 21, 2023

Rigging for Animation

381

When you click the **Armature Properties** button, a bunch of new information comes up. The most important for right now is in the **Viewport Display** tab:

Try these. They change the appearance of the Bones.

Click on **Names**. It puts the name of the Bone next to it so you know which one is which.

University
Computer Graphics

mp - August 21, 2023

Rigging for Animation

382

It's always good to name your Bones. In the Outliner, double-left-click on **Bone.001** and rename it **Top**. Double-left-click on **Bone** and rename it **Bottom**. Your display now looks like this:

Oregon State University
Computer Graphics

mp - August 21, 2023

Rigging for Animation

383

We next need to make the armature a Parent and the object (i.e., Mac) its Child. Select Mac and then shift-select the armature. (The order is important!)

To create the Parent-Child relationship, hit **Control-P**. In the pop-up menu, select **Armature Deform With Automatic Weights**

To verify that this worked, the **Outliner** will show that Mac is now part of the Armature.

Oregon State University
Computer Graphics

mp - August 21, 2023

Rigging for Animation

384

Almost there – the last step is to assign which vertices on Mac will be deformed by the Bottom Bone and which will be deformed by the Top Bone. These groups do not need to be mutually exclusive – they can (and should) have vertices in common.

Earlier in these notes we talked about selecting multiple vertices and Vertex Groups. We are going to do that again. We are going to put some of Mac's vertices into a Vertex Group called **Bottom**, and some into a Vertex Group called **Top**. These must match the names of the respective Bones *exactly*,

1. Select Mac
2. In the properties area, select the **Object Data Properties**
3. Tab into **Edit Mode**
4. Select **View -> Perspective/Orthographic** to place yourself in orthographic display mode
5. Turn on the **X-ray** button at the top
6. Hit 'a' to unselect everything

Oregon State University
Computer Graphics

mp - August 21, 2023

Rigging for Animation

385

7. Use the Border Select to select the top 2/3 of Mac's vertices
8. Create a Vertex Group with them called Top by clicking on **Top** and then clicking on **Assign**
9. Hit 'a' to unselect everything

Computer Graphics | Oregon State University | mp - August 21, 2023

Rigging for Animation

386

10. Use the Border Select to select the bottom 2/3 of Mac's vertices
11. Create a Vertex Group with them called Bottom by clicking on **Bottom** and then clicking on **Assign**
12. Hit 'a' to unselect everything
13. Turn off **X-ray** mode and go back to **Perspective**
14. Tab back to **Object Mode**

Computer Graphics | Oregon State University | mp - August 21, 2023

Rigging for Animation

387

Select the **Armature** and go to **Pose Mode**.

Select the different Bones and try grabbing, rotating, and scaling them. Obviously, a serious Mac animation will require more than two Bones! Bone transformation can be keyframed just like transformation parameters of any other object.

Oregon State University Computer Graphics | mp - August 21, 2023

Rendering an Animation

388

This kicks off the rendering of all your animation frames in order

This brings up a separate window and plays back your animation.

Hint: if this is just a test render, and you have lots of time-consuming visual effects going on, you might cut down the resolution and/or the number of rendered frames to speed things up.

Oregon State University Computer Graphics | mp - August 21, 2023

Rendering an Animation to a File

389

First, go to **Output Properties**

Before saving the animation rendering, you need to specify the file name to put the animation into. In my case, this was:

C:\tmp\mj\b.avi

and the type of file format that it is to have

Oregon State University Computer Graphics | mp - August 21, 2023

Rendering an Animation to a File

390

Here are the animation file types that Blender supports.

Here is how large a 100-frame animation of the monkey turned out to be.

Movie File Type	File Size	Displayed?	Import into PowerPoint?
AVI JPEG	~5 MB	Yes	Yes
AVI Raw	~607 MB	Yes	Yes
FFmpeg Video	~200 KB	Yes	Yes


Note: this scene is simple and compresses well. The mileage you get may vary.


Oregon State University Computer Graphics | mp - August 21, 2023

Importing an Animation into YouTube

391

YouTube accepts videos in **AVI** and **MPEG** formats







mp - August 21, 2023

Importing an Animation into PowerPoint

392



Movie File Type	File Size	Displayed?	Import into PowerPoint?
AVI JPEG	~5 MB	Yes	Yes
AVI Raw	~607 MB	Yes	Yes
FFmpeg Video	~200 KB	Yes	Yes





mp - August 21, 2023

Animation Tricks

393

- In this example, we added the first keyframe, then the last keyframe, then three keyframes in the middle. Sometimes it is easiest to work that way. Other times it is easier to add them in sequential order.
- Sometimes it is easier if you initially add a bunch of duplications of the object in various positions to get a feel for the motion, edit those positions as you see fit, and then use them as keyframe positions.
- Extending from each keyframe dot is a line. That line can be twisted to change the slope of the curve at that keyframe. Select the dots at the end of that line and move them.
- The Camera position and the Lamps can be animated too. For each, define an Empty object, force the Camera or Lamp to follow it (it's one of the Constraints), then animate the Empty. Be sure to give the Empty a descriptive name – all Empties look alike.







mp - August 21, 2023

John Lasseter's Principles of Animation

394

- Squash and Stretch** -- Defining the rigidity and mass of an object by distorting its shape during an action.
- Timing** -- Spacing actions to define the weight and size of objects and the personality of characters.
- Anticipation** -- The preparation for an action.
- Staging** -- Presenting an idea so that it is unmistakably clear.
- Follow Through and Overlapping Action** -- The termination of an action and establishing its relationship to the next action.
- Straight Ahead Action and Pose-To-Pose Action** -- The two contrasting approaches to the creation of movement.
- Slow In and Out** -- The spacing of the inbetween frames to achieve subtlety of timing and movement.
- Arcs** -- The visual path of action for natural movement.
- Exaggeration** -- Accentuating the essence of an idea via the design and the action.
- Secondary Action** -- The action of an object resulting from another action.
- Appeal** -- Creating a design or an action that the audience enjoys watching.


 John Lasseter, "Principles of Traditional Animation Applied to 3D Computer Animation Computer Graphics", *Computer Graphics*, Volume 21, Number 4, July 1987.



mp - August 21, 2023

14. 3D Printing

395







mp - August 21, 2023

The Process

396

"3D Printing" is defined by some sort of "additive" process. The current frenzy in 3D Printing consists mostly of systems that deposit layers of molten plastic.






mp - August 21, 2023

The 3D Printing Geometry File

3D Printers are fed a file called an "STL File", which lists all the triangles in the object. Blender (as well as all CAD systems) can produce this type of file for you.

```


solid
  facet normal 0.00 0.00 -1.00
  outer loop
  vertex -2.000000 -2.000000 0.250000
  vertex -1.980000 -1.980000 0.250000
  vertex -1.980000 -2.000000 0.250000
  endloop
endfacet
  facet normal 0.00 0.00 -1.00
  outer loop
  vertex -2.000000 -2.000000 0.250000
  vertex -2.000000 -1.980000 0.250000
  vertex -1.980000 -1.980000 0.250000
  endloop
endfacet
  ...
endsolid
    
```




mpb - August 21, 2023

Object Rules for 3D Printing

1. The object must be a mesh and **consist only of triangles**.





1. Alt-'c' to turn a Meta object or 3D Text into a mesh
2. Modifiers → Add Modifier → Triangulate



mpb - August 21, 2023

Object Rules for 3D Printing

2. The object must be a legal solid. It must have a definite inside and a definite outside. It can't have any missing face pieces.

mpb - August 21, 2023

The Simplified Euler's Formula* for Legal Solids

*sometimes called the Euler-Poincaré formula

$$F - E + V = 2$$


F Faces
E Edges
V Vertices

For a cube, $6 - 12 + 8 = 2$

The full formula is:



$$F - E + V - L = 2(B - G)$$

F Faces
E Edges
V Vertices
L Inner Loops (within faces)
B Bodies
G Genus (number of through-holes)




mpb - August 21, 2023

Watch Out for Overhangs!





Note that if you build it upside-down, it will probably work fine




mpb - August 21, 2023


Watch Out for Overhangs!



Some 3D printers handle this by leaving unused material in place to support the overhangs




Some 3D printers handle this by using software to add "support structures" to the overhangs



Some 3D printers handle this better than others... ☺

<http://twistedfister.com/2013/08/when-3d-printing-goes-wrong/>



mpb - August 21, 2023

Object Rules for 3D Printing

403

3. You can't make an object by simply overlapping two objects in 3D. If you want both shapes together, do a Boolean union on them so that they become one complete object.

Overlapped in 3D Boolean union

Oregon State University Computer Graphics

What Happens if You Do Overlap Objects?

404

Here's what one of the 3D Printers in the OSU Library did:

Overlapped in 3D Boolean union

Not bad – it could have been lots worse ...

Oregon State University Computer Graphics

Object Rules for 3D Printing

405

4. Each edge in the mesh must bound 2 and only 2 triangles (this is known as the Vertex-to-Vertex Rule). If this is not true, then your model has cracks in it.

Oregon State University Computer Graphics

Installing the 3D Printing Add-on

406

Select Edit → Preferences

Oregon State University Computer Graphics

Installing the 3D Printing Add-on

407

Select Add-ons → Mesh: 3D-Print Toolbox

Oregon State University Computer Graphics

Installing the 3D Printing Add-on

408

Hit the 'n' key to see the sidebar menu. The 3D Print Toolbox will be a tab like this.

Oregon State University Computer Graphics

The 3D Printing Toolbox Add-on

409

Selecting your object and then clicking on **Check All** will give you this nice list of problems Blender thinks you will have if you try to 3D Print this object

Selecting **Clean Up** will try to fix the problems

Computer Graphics ipb - August 21, 2023

The 3D Printing Toolbox Add-on

410

Tab over to **Edit Mode**.
Click in an empty area to unselect everything.
Then click in all the places that show problems.
Blender will light up the object in the places that provoked that problem, giving you a chance to fix them.

Computer Graphics ipb - August 21, 2023

Output for 3D Printing

411

To **export** an STL file for 3D Printing:

1. Click here and select a folder for the file
2. Click here to write the file

.stl is the most common 3D printing file format

"STL" stands for **Stereolithography**.
The word "stereolithography" comes from the Greek words for "3D" and "writing".

Computer Graphics ipb - August 21, 2023

Want to see 3D Printing in Action?

412

Oregon State University's library has 3D Printers for use by OSU students.
To see them via webcam, go to: <http://webcam.oregonstate.edu/3dprinter>

Click here to see the live, streaming view.

Computer Graphics ipb - August 21, 2023

15. Stereographics

413

Computer Graphics ipb - August 21, 2023

Stereoscopy is not new – it's been in common use since the 1950s

414

Life Magazine

But, with virtual reality and 3D movies being so popular, stereoscopy has made a big comeback. And, you can get it through Blender!

For more information on stereoscopy, see: <https://en.wikipedia.org/wiki/Stereoscopy>

Computer Graphics ipb - August 21, 2023

And, even longer than that in stills 415

Newport Maritime Museum Portland Art Museum's Ansel Adams Exhibit

Oregon State University Computer Graphics

mp - August 21, 2023

We Humans have Binocular Vision 416

In everyday living, part of our perception of depth comes from the slight difference in how our two eyes see the world around us. This is known as *binocular vision*. We care about this because computer graphics can simulate that slight viewing difference and thus create the binocular viewing of a synthetic scene.

OSU's 16th President Dr. Jayathi Murthy

Oregon State University Computer Graphics

mp - August 21, 2023

Step #1a – Be Sure You are Using the Eevee Renderer, not Cycles 417

Open the **Render Properties** menu

Oregon State University Computer Graphics

mp - August 21, 2023

Step #1b – Turn the Stereographics On 418

Open the **Output Properties** menu

Enable the **Stereoscopy** checkbox and open the menu

Select **Stereo 3D**.

Be sure these are both checked

Oregon State University Computer Graphics

mp - August 21, 2023

Step #1c – Turn the Stereographics On 419

While still in the **Output Properties** menu ...

Click on **Stereo 3D**.

Pick one of these here

Red-Cyan is good here if you picked Anaglyph before. On the screen, the display will always be a Red-Cyan anaglyph. This menu controls how it will be drawn when you write a file after a **Render**.

Oregon State University Computer Graphics

mp - August 21, 2023

Step #2 – Set the Stereo Cameras 420

Select your **Camera** (in the scene or in the Outliner) and then open the **Camera Data** menu

Any of these will work well. I'm kind of partial to **Off-Axis** or **Tow-In**.

These are interesting to experiment with. They control how deep the stereo focuses and how easy the stereo images are to converge.

Oregon State University Computer Graphics

mp - August 21, 2023

Step #3 – Tell the Renderer to Produce both a Left and Right View

421

Open the **Object Properties** menu (hit 'n' on the keyboard) and click on the **View** tab

This tells the Renderer to produce both a left and right view, and to make a red-cyan stereopair from them

Clip Start: 0.01 m, End: 1000 m

Local Camera: Camera, Render Region, View Lock

Lock to Object

Collections, Annotations, **Stereoscopy**

Left, Right, [Stereo icon]

Display: Cameras, Plane (Alpha: 0.150), Volume (Alpha: 0.050)

mpb - August 21, 2023

Step #4 – Render → Render Image

422

Computer Graphics

mpb - August 21, 2023

Red-Cyan Glasses

423

No, they are not *red-blue* glasses!
No, they are not *red-green* glasses!
They are **red-cyan** glasses!

The universal convention is:

- Red goes over the left eye
- Cyan goes over the right eye

If you want to buy your own red-cyan glasses, my go-to is:

<https://www.3dglasseonline.com/products/anaglyphic/>

Oregon State University Computer Graphics

mpb - August 21, 2023

Step #5 – (if you want): From the Render window, write out a Stereographics Image File

424

This assumes you have already done the other steps

Oregon State University Computer Graphics

mpb - August 21, 2023

How Deep your Scene Appears to be into and out of the Computer Screen -- Setting the Convergence Plane

425

Select your **Camera** (in the scene or in the Outliner) and then open the **Camera Data** menu

The **Convergence Plane Distance** controls how much the scene appears to exist behind or in front of the display screen. Use a small distance to make the scene look like it is living in the monitor.

Use a larger distance to make the scene look like it is living in the air in front of the monitor. (Don't go too crazy with this – it will look less cool than you are expecting.)

Clip Start: 0.01 m, End: 100 m

Depth of Field, **Camera**, Stereoscopy

Mode: Off-Axis

Convergence Plane D.: 1.95 m

Interocular Distance: 0.050 m

Pivot: Left

Oregon State University Computer Graphics

mpb - August 21, 2023

How Deep does the Scene Appear to be into and out of the Computer Screen? Setting the Convergence Plane

426

The Convergence Plane is in front of the object – the object will appear to be inside the monitor

The Convergence Plane is behind the object – the object will appear to be in the air in front of the monitor

I like placing the Convergence Plane about 1/3 of the way through the object

Oregon State University Computer Graphics

mpb - August 21, 2023

427

There are many ways to display the correct view into the correct eye

Oregon State University
Computer Graphics

mjb - August 21, 2023

428

16. References

Oregon State University
Computer Graphics

mjb - August 21, 2023

429

Blender References

<http://cs.oregonstate.edu/~mjb/blender>

<http://blender.org>

<http://www.blender.org/education-help/>

<http://www.blenderguru.com/>

John Blain, *The Complete Guide to Blender Graphics: Computer Modeling and Animation*, Seventh Edition, CRC Press, 2022.

Oregon State University
Computer Graphics

mjb - August 21, 2023

430

Camp Blender

<http://cs.oregonstate.edu/~mjb/blender>

Oregon State University
Mike Bailey
mjb@cs.oregonstate.edu

This work is licensed under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License

Oregon State University
Computer Graphics

mjb - August 21, 2023