


## Particle Systems

Mike Bailey  
Oregon State University



**DSU** Oregon State University  
Computer Graphics


### Particle Systems

- Are used to simulate the appearance of particulate, hairy, or fuzzy phenomena.
- Involve the animation of large collections of tiny particles with various graphics characteristics.
- Were originally developed by Bill Reeves for the film *Star Trek II: The Wrath of Khan*
- Have been used to create effects of fire, smoke, rain, snow, fireworks, disintegration, dust, sand, explosions, flow, waterfalls, stars, comets, plants, hair, fuzz. Surely many more.

**DSU** Oregon State University  
Computer Graphics


mjb - November 3, 2009

### Particle Systems Examples



**DSU** Oregon State University  
Computer Graphics

### Particle Systems Examples



**DSU** Oregon State University  
Computer Graphics

Chuck Evans

mjb - November 3, 2009

### The Process

The basic process is:

```

    graph TD
      RNG[Random Number Generator] --> Emitter[Emitter]
      Emitter --> Update[Update]
      Update --> Render[Render]
      Update --> Emitter
  
```

**DSU** Oregon State University  
Computer Graphics

mjb - November 3, 2009

### The Emitter

The Emitter gives each particle a:

- Birth time
- Death time
- Start location
- Start velocity
- Start color
- Start size
- Start alpha (blending factor)

$$C = (1 - \alpha)C_0 + \alpha C_1$$

**DSU** Oregon State University  
Computer Graphics

mjb - November 3, 2009

### Creating Random Values for the Emitter

```

#include <stdlib.h>

float
Ranf( float low, float high )
{
    float r = (float) rand();           // 0 - RAND_MAX
    float t = r / (float) RAND_MAX;    // 0. - 1.
    return low + t * ( high - low );
}

int
Ranf( int ilow, int ihigh )
{
    float low = (float)ilow;
    float high = (float)ihigh + 0.9999f;
    return (int)( Ranf(low,high) );
}

```

Computer Graphics mpb - November 3, 2009

### The Update

**And the simulation updates the:**

- Position
- Color
- Size
- Alpha
- Interaction with other particles and other objects

Note that these can change as a function of time, position, or anything else

Oregon State University Computer Graphics mpb - November 3, 2009

### The Renderer

**And the renderer draws the scene using different graphics techniques such as:**

- Dots
- Polygons with billboarding
- Quads with textures and billboarding
- Sprites
- Lighting
- Blending
- Smearing

Oregon State University Computer Graphics mpb - November 3, 2009

### Billboarding

Apply the proper Y-axis rotation such that the plane's surface normal is always pointed towards the eye. The eye always sees the surface head-on. Besides particle systems, this is often used to represent trees simply.

$$\theta = \cos^{-1}(\hat{n} \cdot \hat{E})$$

Oregon State University Computer Graphics mpb - November 3, 2009

### Sprites

A "sprite" is a 3D object pre-rendered to a flat 2D texture and "slipped" into a certain depth in the scene.

<http://sdb.drshnaps.com>

Oregon State University Computer Graphics mpb - November 3, 2009

### Particle Systems

Circles only

Circles with traces

Oregon State University Computer Graphics mpb - November 3, 2009

