




Computer Graphics Lighting







Oregon State University

Mike Bailey
mjba@cs.oregonstate.edu





This work is licensed under a [Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License](https://creativecommons.org/licenses/by-nc-nd/4.0/)




Lighting.pptx


1

Why Do We Care About Lighting?


Lighting "dis-ambiguates" 3D scenes




Without lighting



With lighting






2


The Surface Normal Vector


A **surface normal** is a vector perpendicular to the surface.


Sometimes surface normals are defined or computed **per-face** like this.



Sometimes they are defined or computed **per-vertex** like this.








3

Where Do Surface Normal Vectors Come From?

When the triangle is approximating an underlying smooth surface that we know the equation of, we can get them by knowing what the exact normal of the smooth surface would have been. A good example is looking at a sphere from the side:



The sphere we are trying to approximate


A triangle we are using to approximate the sphere with


Assign the underlying sphere's exact normal vectors to the corners of the triangle

When the triangle is part of an arbitrary polyhedron for which we do not have an underlying exact equation, we use vector cross products of the edge vectors to get a vector that is perpendicular to the surface:

$$n = (P1 - P0) \times (P2 - P0)$$

vector cross product





4

Setting a Per-Face Surface Normal Vector in OpenGL


```


glMatrixMode( GL_MODELVIEW );

glTranslatef( tx, ty, tz );
glRotatef( degrees, ax, ay, az );
glScalef( sx, sy, sz );

glNormal3f( nx, ny, nz );
glColor3f( r, g, b );
glBegin( GL_TRIANGLES );
glVertex3f( x0, y0, z0 );
glVertex3f( x1, y1, z1 );
glVertex3f( x2, y2, z2 );
glEnd( );
    
```

Per-face normal is set before the face is drawn





5

Setting Per-Vertex Surface Normal Vectors in OpenGL


```


glMatrixMode( GL_MODELVIEW );

glTranslatef( tx, ty, tz );
glRotatef( degrees, ax, ay, az );
glScalef( sx, sy, sz );

glColor3f( r, g, b );
glBegin( GL_TRIANGLES );
glNormal3f( nx0, ny0, nz0 );
glVertex3f( x0, y0, z0 );
glNormal3f( nx1, ny1, nz1 );
glVertex3f( x1, y1, z1 );
glNormal3f( nx2, ny2, nz2 );
glVertex3f( x2, y2, z2 );
glEnd( );
    
```

Per-vertex normal is set while the face is being drawn





6

Flat Shading (Per-face)

```


glMatrixMode( GL_MODELVIEW );

glTranslatef( tx, ty, tz );
glRotatef( degrees, ax, ay, az );
glScalef( sx, sy, sz );

glShadeModel( GL_FLAT );
glNormal3f( nx, ny, nz );

glColor3f( r, g, b );
glBegin( GL_TRIANGLES );
  glVertex3f( x0, y0, z0 );
  glVertex3f( x1, y1, z1 );
  glVertex3f( x2, y2, z2 );
glEnd();

```



Oregon State University
Computer Graphics

108 - August 22, 2014

7

Smooth Shading (Per-vertex)

```


glMatrixMode( GL_MODELVIEW );

glTranslatef( tx, ty, tz );
glRotatef( degrees, ax, ay, az );
glScalef( sx, sy, sz );

glShadeModel( GL_SMOOTH );

glColor3f( r, g, b );
glBegin( GL_TRIANGLES );
  glNormal3f( nx0, ny0, nz0 );
  glVertex3f( x0, y0, z0 );
  glNormal3f( nx1, ny1, nz1 );
  glVertex3f( x1, y1, z1 );
  glNormal3f( nx2, ny2, nz2 );
  glVertex3f( x2, y2, z2 );
glEnd();

```




Oregon State University
Computer Graphics

108 - August 22, 2014

8

GL_FLAT **GL_SMOOTH**



Oregon State University
Computer Graphics

108 - August 22, 2014

9

OpenGL Surface Normal Vectors Need to be Unitized by Someone

```

glTranslatef( tx, ty, tz );
glRotatef( degrees, ax, ay, az );
glScalef( sx, sy, sz );

glNormal3f( nx, ny, nz );

```

OpenGL expects the normal vector to be a **unit vector**, that is: $nx^2 + ny^2 + nz^2 = 1$

If it is not, you can force OpenGL to do the unitizing for you with:


```
glEnable( GL_NORMALIZE );
```

Oregon State University
Computer Graphics

108 - August 22, 2014

10

The OpenGL "built-in" Lighting Model



P	Point being illuminated
I	Light intensity
L	Unit vector from point to light
n	Unit vector surface normal
R	Perfect reflection unit vector
E	Unit vector to eye position

Oregon State University
Computer Graphics

108 - August 22, 2014

11

The OpenGL "built-in" Lighting Model

- Ambient** = a constant Accounts for light bouncing "everywhere"
- Diffuse** = $I * \cos\theta$ Accounts for the angle between the incoming light and the surface normal
- Specular** = $I * \cos^S\phi$ Accounts for the angle between the "perfect reflector" and the eye. The exponent, **S**, accounts for surface shininess


Note that $\cos\theta$ is just the dot product between unit vectors **L** and **n**

Note that $\cos\phi$ is just the dot product between unit vectors **R** and **E**


Oregon State University
Computer Graphics

108 - August 22, 2014


12



13




14




15




16




17




18




19




20




21



22



23



24

25

```

const float WHITE[ 3 ] = { 1., 1., 1. };

// utility to create an array from 3 separate values:
float *
Array3( float a, float b, float c )
{
    static float array[4];

    array[0] = a;
    array[1] = b;
    array[2] = c;
    array[3] = 1.;
    return array;
}

// utility to create an array from a multiplier and an array:
float *
MulArray3( float factor, float array[3] )
{
    static float array[4];

    array[0] = factor * array[0];
    array[1] = factor * array[1];
    array[2] = factor * array[2];
    array[3] = 1.;
    return array;
}

```

The 4th element of the array being set to 1.0 is there on purpose. The reason for that is coming up soon!

Oregon State University
Computer Graphics
v08 - August 22, 2014

25

26

Setting the Material Characteristics

```

glMaterialfv( GL_BACK, GL_AMBIENT,   MulArray3( .4, WHITE ) );
glMaterialfv( GL_BACK, GL_DIFFUSE,   MulArray3( 1., WHITE ) );
glMaterialfv( GL_BACK, GL_SPECULAR,  Array3( 0., 0., 0. ) );
glMaterialf ( GL_BACK, GL_SHININESS,  5. );
glMaterialfv( GL_BACK, GL_EMISSION,  Array3( 0., 0., 0. ) );

glMaterialfv( GL_FRONT, GL_AMBIENT,   MulArray3( 1., rgb ) );
glMaterialfv( GL_FRONT, GL_DIFFUSE,   MulArray3( 1., rgb ) );
glMaterialfv( GL_FRONT, GL_SPECULAR,  Array3( .7, WHITE ) );
glMaterialf ( GL_FRONT, GL_SHININESS, 8. );
glMaterialfv( GL_FRONT, GL_EMISSION,  Array3( 0., 0., 0. ) );

glMaterialfv( GL_FRONT_AND_BACK, ... );

```

Characteristics for the back-facing surfaces

Characteristics for the front-facing surfaces

You can also set the front and back characteristics to be the same value at the same time

Oregon State University
Computer Graphics
v08 - August 22, 2014

26

27

How Does OpenGL Define GL_FRONT and GL_BACK?

GL_FRONT Vertices are CCW from the point of view of the eye

GL_BACK Vertices are CW from the point of view of the eye

Oregon State University
Computer Graphics
v08 - August 22, 2014

27

28

A Material-setting Helper Function I Like to Use

```

void
SetMaterial( float r, float g, float b, float shininess )
{
    glMaterialfv( GL_BACK, GL_EMISSION, Array3( 0., 0., 0. ) );
    glMaterialfv( GL_BACK, GL_AMBIENT,  MulArray3( .4f, WHITE ) );
    glMaterialfv( GL_BACK, GL_DIFFUSE,   MulArray3( 1., WHITE ) );
    glMaterialfv( GL_BACK, GL_SPECULAR,  Array3( 0., 0., 0. ) );
    glMaterialf ( GL_BACK, GL_SHININESS, 2.f );

    glMaterialfv( GL_FRONT, GL_EMISSION, Array3( 0., 0., 0. ) );
    glMaterialfv( GL_FRONT, GL_AMBIENT,  Array3( r, g, b ) );
    glMaterialfv( GL_FRONT, GL_DIFFUSE,   Array3( r, g, b ) );
    glMaterialfv( GL_FRONT, GL_SPECULAR,  MulArray3( .8f, WHITE ) );
    glMaterialf ( GL_FRONT, GL_SHININESS, shininess );
}

```

Back-facing= gray

Front-facing = (r,g,b)

This code is in your sample code folder in the file `setmaterial.cpp`

Oregon State University
Computer Graphics
v08 - August 22, 2014

28

29

Setting the Light Characteristics

```

glEnable( GL_LIGHTING );
glEnable( GL_LIGHT0 );
glLightModelfv( GL_LIGHT_MODEL_AMBIENT, MulArray3( .2, WHITE ) );
glLightModeli ( GL_LIGHT_MODEL_TWO_SIDE, GL_TRUE );

glLightfv( GL_LIGHT0, GL_AMBIENT,  Array3( 0., 0., 0. ) );
glLightfv( GL_LIGHT0, GL_DIFFUSE,   LightColor );
glLightfv( GL_LIGHT0, GL_SPECULAR,  LightColor );

glLightf ( GL_LIGHT0, GL_CONSTANT_ATTENUATION, 1. );
glLightf ( GL_LIGHT0, GL_LINEAR_ATTENUATION, 0. );
glLightf ( GL_LIGHT0, GL_QUADRATIC_ATTENUATION, 0. );

// this is here because we are going to do object (and thus normal) scaling:
glEnable( GL_NORMALIZE );

```

You can have multiple lights, nominally 0-7

Attenuation = $\frac{1}{C + Ld + Qd^2}$ where d is the distance from the light to the point being lit

Oregon State University
Computer Graphics
v08 - August 22, 2014

29

30

Light Attenuation

$$\text{Attenuation} = \frac{1}{C + Ld + Qd^2} \text{ where } d \text{ is the distance from the light to the point being lit}$$

Physics tells us that light energy decreases with the inverse square of the distance, $\frac{1}{d^2}$. To emulate this, we would set $C=0$, $L=0$, $Q=1$. Streetlights and car headlights are good uses for this.

Often, we don't want any attenuation, that is, we want to see *everything*. In that case, set $C=1$, $L=0$, $Q=0$.

```

glLightf ( GL_LIGHT0, GL_CONSTANT_ATTENUATION, 1. );
glLightf ( GL_LIGHT0, GL_LINEAR_ATTENUATION, 0. );
glLightf ( GL_LIGHT0, GL_QUADRATIC_ATTENUATION, 0. );

```

And sometimes you might want to attenuate linearly. Why? Well, because you can! In that case, set $C=0$, $L=1$, $Q=0$.

Oregon State University
Computer Graphics
v08 - August 22, 2014

30



Should OpenGL Use the Lighting Equations or Use glColor3f?

If your code has most recently said:
glEnable(GL_LIGHTING);

OpenGL will use the most recent Lighting values
OpenGL will use the most recent Material values

If your code has most recently said:
glDisable(GL_LIGHTING);

OpenGL will use the most recent glColor3f values

OSU - August 22, 2014

31

Setting the Light Position

The light position gets transformed by the **ModelView** matrix at the moment the **glLightfv(..., GL_POSITION, ...)** function is encountered. It is *really important* to remember this!

```

glMatrixMode( GL_MODELVIEW );
glLoadIdentity();

// 1. if we do this, then the light will be wrt the scene at XLIGHT, YLIGHT, ZLIGHT:
glLightfv( GL_LIGHT0, GL_POSITION, Array3(XLIGHT, YLIGHT, ZLIGHT) );

// translate the object into the viewing volume:
gluLookAt( XEYE, YEYE, ZEEYE, 0., 0., 0., 0., 1., 0. );

// 2. if we do this, then the light will be wrt the eye at XLIGHT, YLIGHT, ZLIGHT:
glLightfv( GL_LIGHT0, GL_POSITION, Array3(XLIGHT, YLIGHT, ZLIGHT) );
    
```

OSU - August 22, 2014

32

```

// perform the rotations and scaling about the origin:
glRotatef( Xrot, 1., 0., 0. );
glRotatef( Yrot, 0., 1., 0. );
glScalef( Scale, Scale, Scale );

// 3. if we do this, then the light will be wrt to the object at XLIGHT, YLIGHT, ZLIGHT:
glLightfv( GL_LIGHT0, GL_POSITION, Array3(XLIGHT, YLIGHT, ZLIGHT) );

// specify the shading model:
glShadeModel( GL_SMOOTH );

// enable lighting:
glEnable( GL_LIGHTING );
glEnable( GL_LIGHT0 );

// draw the objects:
glDisable( GL_LIGHTING );
    
```

You can enable and disable lighting "at all".
(This toggles between using what the lighting equations say and what glColor3f() says.)

You can enable and disable each light independently

It is usually good form to disable the lighting after you are done using it

OSU - August 22, 2014

33

Sidebar: Why are Light Positions 4-element arrays where the 4th element is 1.0? Homogeneous Coordinates!

```

float *
Array3( float a, float b, float c )
{
    static float array[4];

    array[0] = a;
    array[1] = b;
    array[2] = c;
    array[3] = 1.;
    return array;
}
    
```

We usually think of a 3D point as being represented by a triple: (x,y,z). Using homogeneous coordinates, we add a 4th number: (x,y,z,w). Graphics systems take (x,y,z,w), perform all transformations, and then divide x, y, and z by w before using them.

$$X' = \frac{x}{w}, Y' = \frac{y}{w}, Z' = \frac{z}{w}$$

Thus (1,2,3,1), (2,4,6,2), (-1,-2,-3,-1) all represent the same 3D point.


OSU - August 22, 2014

34

Homogeneous Coordinates let us Represent Points at Infinity

This is useful to be able specify a **parallel light source** by placing the light source **position** at infinity.

The point (1,2,3,1) represents the 3D point (1,2,3)
 The point (1,2,3,.5) represents the 3D point (2,4,6)
 The point (1,2,3,.01) represents the point (100,200,300)
 So, (1,2,3,0) represents a point at infinity, along the ray from the origin through (1,2,3).
Points-at-infinity are used for parallel light sources (and some shadow algorithms)



Example of using a parallel light source

OSU - August 22, 2014

35



Additional Parameters for Spotlights

```

glLightfv( GL_LIGHT0, GL_SPOT_DIRECTION, Array3(xdir,ydir,zdir) );
// Specifies the spotlight-pointing direction. This gets transformed by the current value of the ModelView matrix.

glLightf( GL_LIGHT0, GL_SPOT_EXPONENT, e );
// Specifies the spotlight directional intensity. This acts very much like the exponent in the specular lighting equation.

glLightf( GL_LIGHT0, GL_SPOT_CUTOFF, deg );
// Specifies the spotlight maximum spread angle. A cutoff angle of 180° indicates that this is really a point light.
    
```

OSU - August 22, 2014

36

Two Light-setting Helper Functions I Like to Use

```

void
SetPointLight( int ilight, float x, float y, float z, float r, float g, float b )
{
    glLightfv( ilight, GL_POSITION, Array3f( x, y, z ) );
    glLightf( ilight, GL_SPOT_CUTOFF, 180.f );
    glLightfv( ilight, GL_AMBIENT, Array3f( 0.0, 0.0, 0.0 ) );
    glLightfv( ilight, GL_DIFFUSE, Array3f( r, g, b ) );
    glLightfv( ilight, GL_SPECULAR, Array3f( r, g, b ) );
    glLightf( ilight, GL_CONSTANT_ATTENUATION, 1.f );
    glLightf( ilight, GL_LINEAR_ATTENUATION, 0.f );
    glLightf( ilight, GL_QUADRATIC_ATTENUATION, 0.f );
    glEnable( ilight );
}

void
SetSpotLight( int ilight, float x, float y, float z, float xdir, float ydir, float zdir, float r, float g, float b )
{
    glLightfv( ilight, GL_POSITION, Array3f( x, y, z ) );
    glLightfv( ilight, GL_SPOT_DIRECTION, Array3f( xdir, ydir, zdir ) );
    glLightf( ilight, GL_SPOT_EXPONENT, 1.f );
    glLightf( ilight, GL_SPOT_CUTOFF, 30.f );
    glLightfv( ilight, GL_AMBIENT, Array3f( 0.0, 0.0, 0.0 ) );
    glLightfv( ilight, GL_DIFFUSE, Array3f( r, g, b ) );
    glLightfv( ilight, GL_SPECULAR, Array3f( r, g, b ) );
    glLightf( ilight, GL_CONSTANT_ATTENUATION, 1.f );
    glLightf( ilight, GL_LINEAR_ATTENUATION, 0.f );
    glLightf( ilight, GL_QUADRATIC_ATTENUATION, 0.f );
    glEnable( ilight );
}

```

This code is in your sample code folder in the file *setlight.cpp*

ilight would be GL_LIGHT0, for example



Oregon State University Computer Graphics

37

Sidebar: Note that we are computing the light intensity at each vertex first, and then interpolating that intensity across the polygon second

That is, you are only using the lighting model at each vertex.

You can do an even better job if you interpolate the normal across the polygon first, and then compute the light intensity with the lighting model at each fragment second:






Per-vertex **Per-fragment**

Oregon State University Computer Graphics

38

But, for per-fragment, you will need shaders (coming soon!)

Per-vertex **Per-fragment**

Oregon State University Computer Graphics

39

Sidebar: Smooth Shading can also interpolate vertex colors, not just the results of the lighting model

Before, when we talked about per-vertex normal vectors, we did this:

```

glMatrixMode( GL_MODELVIEW );
glTranslatef( tx, ty, tz );
glRotatef( degrees, ax, ay, az );
glScalef( sx, sy, sz );
glShadeModel( GL_SMOOTH );
glBegin( GL_TRIANGLES );
    glNormal3f( nx0, ny0, nz0 );
    glVertex3f( x0, y0, z0 );
    glNormal3f( nx1, ny1, nz1 );
    glVertex3f( x1, y1, z1 );
    glNormal3f( nx2, ny2, nz2 );
    glVertex3f( x2, y2, z2 );
glEnd();



```

We can also provide per-vertex colors to do this:

```

glMatrixMode( GL_MODELVIEW );
glTranslatef( tx, ty, tz );
glRotatef( degrees, ax, ay, az );
glScalef( sx, sy, sz );
glShadeModel( GL_SMOOTH );
glBegin( GL_TRIANGLES );
    glColor3f( r0, g0, b0 );
    glVertex3f( x0, y0, z0 );
    glColor3f( r1, g1, b1 );
    glVertex3f( x1, y1, z1 );
    glColor3f( r2, g2, b2 );
    glVertex3f( x2, y2, z2 );
glEnd();

```


Flat **Smooth**

Oregon State University Computer Graphics

40

Smooth Shading can also interpolate vertex colors, not just the results of the lighting model

This is especially useful when using colors for scientific visualization:



Oregon State University Computer Graphics

41

Tricky Lighting Situations






Hair **Fur** **Feathers**

Watch for these in movies!

Oregon State University Computer Graphics

42

Tricky Lighting Situations 43



Disney

Sony/Columbia Pictures


Notice the lighting in the fur!

Oregon State University Computer Graphics

108 - August 22, 2014

43

Sidebar: Beware of Mach Banding 44



Notice how these vertical stripes look "scaloped", like a Greek column. But, they are solid-color stripes. What is going on?


Oregon State University Computer Graphics

108 - August 22, 2014

44

Beware of Mach Banding 45

Our vision systems can't handle abrupt changes in intensity.



Actual Intensity Changes

Our Perceived Intensity Changes

Oregon State University Computer Graphics


108 - August 22, 2014

45

Beware of Mach Banding 46

In fact, our vision systems can't even handle abrupt changes in the slope of intensity.

Flat shading



Smooth shading

Our Perceived Intensity Changes

Actual Intensity Changes


Oregon State University Computer Graphics

108 - August 22, 2014

46

Beware of Mach Banding 47

Think of the Mach Banding problem as being similar to trying to round second base at a 90° angle.



Perceived Intensity

Actual Intensity

Oregon State University Computer Graphics

108 - August 22, 2014

47