



**Vulkan.**



**Oregon State  
University**  
Mike Bailey  
mjb@cs.oregonstate.edu

CC BY-NC-ND  
This work is licensed under a [Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License](https://creativecommons.org/licenses/by-nc-nd/4.0/)

You can learn more at: <http://cs.oregonstate.edu/~mjb/vulkan>



Vulkan.pptx

mjb - December 31, 2021

### Who is the Real Vulkan?





Can you notice the difference? It's subtle! ☺



mjb - December 31, 2021

### Who is the Khronos Group?

**The Khronos Group, Inc.** is a non-profit member-funded industry consortium, focused on the creation of open standard, royalty-free application programming interfaces (APIs) for authoring and accelerated playback of dynamic media on a wide variety of platforms and devices. Khronos members may contribute to the development of Khronos API specifications, vote at various stages before public deployment, and accelerate delivery of their platforms and applications through early access to specification drafts and conformance tests.



mjb - December 31, 2021

### Playing "Where's Waldo" with Khronos Membership

PROMOTER MEMBERS

Over 100 members worldwide  
Any company is welcome to join



mjb - December 31, 2021

## Who's Been Specifically Working on Vulkan?

5




## Vulkan

6

- Largely derived from AMD's *Mantle* API
- Also heavily influenced by Apple's *Metal* API and Microsoft's *DirectX 12*
- *There is no fixed-function – it is all shaders-based*
- Goal: much less driver complexity and overhead than OpenGL has
- Goal: much less user hand-holding
- Goal: higher single-threaded performance than OpenGL can deliver
- Goal: able to do multithreaded graphics
- Goal: able to run on desktops and mobile devices

## Vulkan: a Simplified Block Diagram

7



## Vulkan Code has a Distinct "Style" of Setting Information in structs and then Passing that Information as a pointer-to-the-struct

8

```
VkBufferCreateInfo vbc;
vbc.sType = VK_STRUCTURE_TYPE_BUFFER_CREATE_INFO;
vbc.pNext = nullptr;
vbc.flags = 0;
vbc.size = << buffer size in bytes >>
vbc.usage = VK_USAGE_UNIFORM_BUFFER_BIT;
vbc.sharingMode = VK_SHARING_MODE_EXCLUSIVE;
vbc.queueFamilyIndexCount = 0;
vbc.pQueueFamilyIndices = nullptr;

VK_RESULT result = vkCreateBuffer ( LogicalDevice, IN &vbc, PALLOCATOR, OUT &Buffer );

VkMemoryRequirements vmr;
result = vkGetBufferMemoryRequirements( LogicalDevice, Buffer, OUT &vmr ); // fills vmr

VkMemoryAllocateInfo vmai;
vmai.sType = VK_STRUCTURE_TYPE_MEMORY_ALLOCATE_INFO;
vmai.pNext = nullptr;
vmai.flags = 0;
vmai.allocationSize = vmr.size;
vmai.memoryTypeIndex = 0;


result = vkAllocateMemory( LogicalDevice, IN &vmai, PALLOCATOR, OUT &MatrixBufferMemoryHandle );
result = vkBindBufferMemory( LogicalDevice, Buffer, IN MatrixBufferMemoryHandle, 0 );
```

The code snippet illustrates the Vulkan style of setting information in structs and then passing that information as a pointer-to-the-struct. Red circles highlight the struct names (vbc, vmr, vmai) and the pointer-to-struct arguments (&vbc, &vmr, &vmai, &MatrixBufferMemoryHandle) in the function calls.

## Vulkan Command Buffers

9

- Graphics commands are sent to command buffers
- Think OpenGL...
- E.g., `vkCmdDoSomething( cmdBuffer, ... );`
- You can have as many simultaneous Command Buffers as you want
- Buffers are flushed when the application wants them flushed
- Each command buffer can be filled from a different thread (i.e., filling is thread-safe)




## Vulkan Graphics Pipelines

10

- In OpenGL, your graphics "pipeline state" is whatever combination you most recently set: color, transformations, textures, shaders, etc.
- In OpenGL, changing the state one-item-at-a-time is very expensive
- Vulkan forces you to set *all* your state at once into a "pipeline state object" (PSO) and then invoke an entire PSO whenever you want to use that combination of state items
- Potentially, you could have thousands of these pre-prepared states – if there are N things to set, there would be N! possible combinations.
- Think of pipeline state as being immutable (although it isn't in some very specific circumstances).
- This is a good time to talk about how game companies view Vulkan state ... it's not what you would think

## Vulkan: Creating a Pipeline State Object from Individual State Items

11



## Vulkan GPU Memory

12

- Your application needs to allocate GPU memory for the objects it needs
- You map memory to the CPU address space for access
- Your application is responsible for making sure that what you put into that memory is actually in the right format, is the right size, etc.

## Vulkan Render Passes

13

- Drawing is done inside a render pass
- Each render pass contains what framebuffer attachments to use
- Each render pass is told what to do when it begins and ends

## Vulkan Synchronization

14


- Synchronization is the responsibility of the *application*
- Events can be set, polled, and waited for (much like OpenGL)
- Vulkan does not ever synchronize – that's the application's (i.e., your) job
- Threads can concurrently read from the same object
- Threads can concurrently write to different objects

## SPIR-V

15

SPIR-V stands for **Standard Portable Intermediate Representation – Vulkan**. It's the file format that Vulkan GLSL shaders get compiled into. The name of that front-end compiler is *glslang*. At runtime, that file is read and the driver compiles it the rest of the way into the machine instruction set for that particular vendor.

SPIR-V started out as something for Vulkan but is now also used with OpenGL and OpenCL. Here is how it fits into the overall Khronos Ecosystem:



## So What Do We All Do Now?

16

- I don't see Vulkan replacing OpenGL ever
- However, I wonder if Khronos will become less and less excited about adding new extensions to OpenGL. I see no evidence of this neglect right now.
- And, I also wonder if vendors will become less and less excited about improving OpenGL drivers. I see no evidence of this neglect right now.
- I see the OSU Vulkan class as always being a one-term standalone course, not part of another OpenGL-based course.



### So What Do We All Do Now?

17

This is what I think the model of the immediate future is:

