



**The Message Passing Interface (MPI):
Parallelism on Distributed CPUs**


<http://mpi-forum.org>
<https://www.open-mpi.org/>




**Oregon State
University**
Mike Bailey
mjb@cs.oregonstate.edu



This work is licensed under a [Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International License](https://creativecommons.org/licenses/by-nc-nd/4.0/)




The diagram shows a central 'Network' bar at the top. Below it, two identical units are shown, each consisting of a 'Memory' box above a 'CPU' box. Double-headed yellow arrows connect the 'Memory' boxes to the 'Network' bar. Ellipses (...) between the units indicate more units are present.


mjb - May 22, 2024

1


Why Two URLs?



<http://mpi-forum.org>
 This is the definitive reference for the MPI standard. Go here if you want to read the official specification, which, BTW, continues to evolve.

<https://www.open-mpi.org/>
 This consortium formed later. This is the open source version of MPI. If you want to start using MPI, I recommend you look here. This is the MPI that the COE systems use

<https://www.open-mpi.org/doc/v4.0/>
 This URL is also really good – it is a link to all of the MPI man pages



mjb - May 22, 2024

2

The Open MPI Consortium






The grid includes logos for: absoft, AMD, amazon web services, ARM, AUBURN UNIVERSITY, BROADCOM, BUL, ZIH, Chelsio Communications, CISCO, UNIVERSITY OF WISCONSIN LA CROSSE, coverity, CS@UH, UBC, facebook, FUJITSU, Hochschule für Technik Stuttgart, HLRIS, Hochschule Esslingen University of Applied Sciences, IBM, ICL, Intel, Linaro, Los Alamos NATIONAL LABORATORY, Mellanox, Myricom, NVIDIA, OAK RIDGE National Laboratory, ORACLE, RIST, R, Sandia National Laboratories, ADVANCED RESEARCH COMPUTING UNIVERSITY OF MICHIGAN, and Watt.

mjb - May 22, 2024

3


MPI: The Basic Idea



The diagram shows a central 'Network' bar at the top. Below it, two identical units are shown, each consisting of a 'Memory' box above a 'CPU' box. Double-headed yellow arrows connect the 'Memory' boxes to the 'Network' bar. Ellipses (...) between the units indicate more units are present.

Programs on different CPUs coordinate computations by passing messages between each other

Note: Each CPU in the MPI "cluster" must be prepared ahead of time by having the MPI server code installed on it. It must then have that server code running and listening on its socket connection. Each MPI CPU must also have an integer ID assigned to it (called its *rank*).



mjb - May 22, 2024

4

This paradigm is how modern supercomputers work!

5



Oregon State University
Computer Graphics

The Texas Advanced Computing Center's *Frontera* supercomputer

mjb - May 22, 2024

5

How to SSH to the COE MPI Cluster

6

ssh over to an MPI submission machine --
submit-a and **submit-b** will also work

```
flip3 151% ssh submit-c.hpc.engr.oregonstate.edu
```

```
submit-c 142% module load slurm  
submit-c 143% module load openmpi
```

Type these right away to set your path correctly

BTW, you can find out more about the COE cluster here:
<https://it.engineering.oregonstate.edu/hpc>

"The College of Engineering HPC cluster is a heterogeneous mix of about 130 servers providing nearly 4000 CPU cores, over 200 GPUs, and over 43 TB total RAM. The systems are connected via gigabit ethernet and Infiniband. Most of the latest servers utilize Mellanox EDR or HDR InfiniBand network connection. The cluster also has access to 150TB global scratch from the College of Engineering's Dell/EMC Isilon enterprise storage. The CoE HPC Cluster is rated at over 1700 peak TFLOPS (double-precision)."

Oregon State University
Computer Graphics

mjb - May 22, 2024

6

Compiling and Running

7

```
mpicc -o program program.c ...
```

or

```
mpic++ -o program program.cpp ...
```

```
mpiexec -mca btl self,tcp -np 4 program
```

All distributed processors execute the same program at the same time

of processors to use

Warning – use *mpic++* and *mpiexec*!

Don't use g++.

Don't run by just typing the name of the executable!

Oregon State University
Computer Graphics

mjb - May 22, 2024

7

Running with a *bash* Batch Script

8

submit.bash:

```
#!/bin/bash  
#SBATCH -J AutoCorr  
#SBATCH -A cs475-575  
#SBATCH -p classmpitest  
#SBATCH -N 8 # number of nodes  
#SBATCH -n 8 # number of tasks  
#SBATCH -o mpiproject.out  
#SBATCH -e mpiproject.err  
#SBATCH --mail-type=END,FAIL  
#SBATCH --mail-user=joeparallel@oregonstate.edu  
module load openmpi  
mpic++ mpiproject.cpp -o mpiproject -lm  
mpiexec -mca btl self,tcp -np 4 ./mpiproject
```

Your Job Name

This is the partition that we use for our class when debugging and testing your program. Use **classmpifinal** for taking your final performance numbers.

These 3 lines are bash code

```
submit-c 143% sbatch submit.bash  
Submitted batch job 258759
```

Oregon State University
Computer Graphics

mjb - May 22, 2024

8

What is the Difference Between the Partitions *classmpitest* and *classmpifinal*?

9

classmpitest lets your program get into the system sooner, but it might be running alongside other jobs, so its performance might suffer. But, you don't care because you are just compiling and debugging, not taking performance numbers for your report.

classmpifinal makes your program wait in line until it can get dedicated resources so that you get performance results that are much more representative of what the machines can do, and thus are worthy to be listed in your report.



Oregon State
University
Computer Graphics

mjb - May 22, 2024

9

Auto-Notifications via Email

10

```
#SBATCH --mail-user=joeparallel@oregonstate.edu
```

You don't have to ask the system to email information to you, but if you do, *please be sure you get your own email address right!*

Our IT people are getting *really* tired of fielding the bounced emails when people misspell their own email address.



Oregon State
University
Computer Graphics

mjb - May 22, 2024

10

Use slurm's *scancel* if your Job Needs to Be Killed

11

```
submit-c 143% sbatch submit.bash  
Submitted batch job 258759
```

```
submit-c 144% scancel 258759
```



Oregon State
University
Computer Graphics

mjb - May 22, 2024

11

Setting Up and Finishing MPI

12

```
#include <mpi.h>  
  
int  
main( int argc, char *argv[] )  
{  
    . . .  
    MPI_Init( &argc, &argv );  
  
    . . .  
  
    MPI_Finalize( );  
    return 0;  
}
```

You don't need to process command line arguments if you don't want to. You can just call `MPI_Init()` as:

```
MPI_Init( NULL, NULL );
```



Oregon State
University
Computer Graphics

mjb - May 22, 2024

12

MPI Follows a Single-Program-Multiple-Data (SPMD) Model

13

A **communicator** is a collection of CPUs that are capable of sending messages to each other

Oh, look, a communicator of deer!



Oh, look, a communicator of turkeys!



This requires MPI server code getting installed on all those CPUs. That code then needs to be running and listening on a socket connection. Only an administrator can do this.

Getting information about our place in the **communicator**:

```
int numCPUs; // total # of cpus involved
int me;      // which one I am

MPI_Comm_size( MPI_COMM_WORLD, &numCPUs );
MPI_Comm_rank( MPI_COMM_WORLD, &me );
```

Size, i.e., how many altogether?

Rank, i.e., which one am I?

It is then each CPU's job to figure out what piece of the overall problem it is responsible for and then go do it.



mjb - May 22, 2024

13

A First Test of MPI

14

```
#include <stdio.h>
#include <math.h>
#include <mpi.h>

#define THEBOSS 0

int
main( int argc, char *argv[] )
{
    MPI_Init( &argc, &argv );

    int numCPUs; // total # of cpus involved
    int me;      // which one I am

    MPI_Comm_size( MPI_COMM_WORLD, &numCPUs );
    MPI_Comm_rank( MPI_COMM_WORLD, &me );

    if( me == THEBOSS )
        printf( stderr, "Rank %d says that we have a Communicator of size %d\n", THEBOSS, numCPUs );
    else
        printf( stderr, "Welcome from Rank %d\n", me );

    MPI_Finalize( );
    return 0;
}
```

14

```
submit-c 165% mpxexec -np 16 ./first
Welcome from Rank 13
Welcome from Rank 15
Welcome from Rank 3
Welcome from Rank 7
Welcome from Rank 5
Welcome from Rank 8
Welcome from Rank 9
Welcome from Rank 11
Rank 0 says that we have a Communicator of size 16
Welcome from Rank 1
Welcome from Rank 12
Welcome from Rank 14
Welcome from Rank 6
Welcome from Rank 2
Welcome from Rank 10
Welcome from Rank 4
```

```
submit-c 166% mpxexec -np 16 ./first
Welcome from Rank 1
Welcome from Rank 5
Welcome from Rank 7
Welcome from Rank 9
Welcome from Rank 11
Welcome from Rank 13
Welcome from Rank 15
Rank 0 says that we have a Communicator of size 16
Welcome from Rank 2
Welcome from Rank 3
Welcome from Rank 4
Welcome from Rank 6
Welcome from Rank 8
Welcome from Rank 12
Welcome from Rank 14
Welcome from Rank 10
```

```
submit-c 167% mpxexec -np 16 ./first
Welcome from Rank 9
Welcome from Rank 11
Welcome from Rank 13
Welcome from Rank 7
Welcome from Rank 1
Welcome from Rank 3
Welcome from Rank 10
Welcome from Rank 15
Welcome from Rank 4
Welcome from Rank 5
Rank 0 says that we have a Communicator of size 16
Welcome from Rank 2
Welcome from Rank 6
Welcome from Rank 8
Welcome from Rank 14
Welcome from Rank 12
```

```
submit-c 168% mpxexec -np 16 ./first
Welcome from Rank 13
Welcome from Rank 15
Welcome from Rank 7
Welcome from Rank 3
Welcome from Rank 5
Welcome from Rank 9
Welcome from Rank 11
Welcome from Rank 1
Welcome from Rank 12
Welcome from Rank 14
Welcome from Rank 4
Welcome from Rank 2
Rank 0 says that we have a Communicator of size 16
Welcome from Rank 8
Welcome from Rank 10
Welcome from Rank 6
```


15

mjb - May 22, 2024

15

So, we have a group (a "communicator") of distributed processors. How do they communicate about what work they are supposed to do?

16



Example: You could coordinate the units of our DGX system using MPI



mjb - May 22, 2024

16

A Good Place to Start: MPI Broadcasting

17

`MPI_Bcast(array, count, type, src, MPI_COMM_WORLD);`

Address of the data to send from if you are the *src* node;

Address of the data to receive into if you are not

elements

MPI_CHAR
MPI_INT
MPI_LONG
MPI_FLOAT
MPI_DOUBLE
...

rank of the CPU doing the sending

Broadcast

Both the sender and receivers need to execute `MPI_Bcast` – there is no separate receive function

Oregon State University Computer Graphics mjb – May 22, 2024

17

MPI Broadcast Example

18

This is our heat transfer equation from before. Clearly, every CPU will need to know this value.

$$\Delta T_i = \left(\frac{k}{\rho C} \right) \left(\frac{T_{i-1} - 2T_i + T_{i+1}}{(\Delta x)^2} \right) \Delta t$$

```

int numCPUs;
int me;
float k_over_rho_c; // the THEBOSS node will know this value, the others won't (yet)

#define THEBOSS 0

MPI_Comm_size( MPI_COMM_WORLD, &numCPUs ); // how many are in this communicator
MPI_Comm_rank( MPI_COMM_WORLD, &me ); // which one am I?
...
if( me == THEBOSS ) {
    << read k_over_rho_c from the data file >>
}
MPI_Bcast( &k_over_rho_c, 1, MPI_FLOAT, THEBOSS, MPI_COMM_WORLD ); // send if I am THEBOSS, and receive if not
    
```

Broadcast

Oregon State University Computer Graphics mjb – May 22, 2024

18

How Does this Work? Think Star Trek Wormholes!

19

Oregon State University Computer Graphics mjb – May 22, 2024

19

Sending Data from One Source CPU to Just One Destination CPU

20

`MPI_Send(array, numToSend, type, dst, tag, MPI_COMM_WORLD);`

address of data to send from

elements
(note: this is the number of *elements*, not the number of *bytes*!)

MPI_CHAR
MPI_INT
MPI_LONG
MPI_FLOAT
MPI_DOUBLE
...

rank of the CPU to send to

An integer or character to differentiate this transmission from any other transmission. I like to use chars.

Rules:

- One message from a specific *src* to a specific *dst* cannot overtake a previous message from the same *src* to the same *dst*.
- `MPI_Send()` blocks until the transfer is far enough along that *array* can be destroyed or re-used.
- There are no guarantees on order from different *src*'s .

src node dst node

Oregon State University Computer Graphics mjb – May 22, 2024

20

Receiving Data in a Destination CPU from a Source CPU

21

```
MPI_Recv( array, maxCanReceive, type, src, tag, MPI_COMM_WORLD, &status );
```

address of data to receive into

elements we can receive, at most

MPI_CHAR
MPI_INT
MPI_LONG
MPI_FLOAT
MPI_DOUBLE
...

Rank of the CPU we are expecting to get a transmission from

Type = MPI_Status

An integer or character to differentiate what transmission we are looking for with this call (be sure this matches what the sender is sending!). I like to use chars.

Rules:

- The receiver blocks waiting for data that matches what it declares to be looking for
- One message from a specific *src* to a specific *dst* cannot overtake a previous message from the same *src* to the same *dst*
- There are no guarantees on the order from different *src*'s
- The order from different *src*'s could be implied in the *tag*
- status* is type MPI_Status – the “&status” can be replaced with MPI_STATUS_IGNORE

src node → dst node

Oregon State University
Computer Graphics

mjb – May 22, 2024

21

Example

22

Remember, this *identical code* runs on all CPUs:

```
int numCPUs;
int me;
#define MYDATA_SIZE 128
char mydata[ MYDATA_SIZE ];
#define THEBOSS 0

MPI_Comm_size( MPI_COMM_WORLD, &numCPUs );
MPI_Comm_rank( MPI_COMM_WORLD, &me );

if( me == THEBOSS ) // the primary
{
    for( int dst = 0; dst < numCPUs; dst++ )
    {
        if( dst != THEBOSS )
        {
            char *InputData = "Hello, Beavers!";
            MPI_Send( InputData, strlen(InputData)+1, MPI_CHAR, dst, 'B', MPI_COMM_WORLD );
        }
    }
}
else // a secondary
{
    MPI_Recv( myData, MYDATA_SIZE, MPI_CHAR, THEBOSS, 'B', MPI_COMM_WORLD, MPI_STATUS_IGNORE );
    printf( " * %s from rank # %d\n", in, me );
}
```

Be sure the receiving tag matches the sending tag

The tag to expect

The tag to label this transmission with

Or Com You are highly discouraged from sending to yourself. Because both the send and receive are capable of blocking, the result could be deadlock.

Oregon State University
Computer Graphics

mjb – May 22, 2024

22

How does MPI let the Sender perform an MPI_Send() even if the Receivers are not ready to MPI_Recv() ?

23

Sender

MPI_Send()

MPI Transmission Buffer

Receiver

MPI_Recv()

MPI Transmission Buffer

MPI_Send() blocks until the transfer is far enough along that the *array* can be destroyed or re-used.

Oregon State University
Computer Graphics

mjb – May 22, 2024

23

Another Example

24

You typically don't send the entire workload to each *dst* – you just send part of it, like this:

```
#define NUMELEMENTS ?????
int numCPUs;
int me;
#define THEBOSS 0

MPI_Comm_size( MPI_COMM_WORLD, &numCPUs );
MPI_Comm_rank( MPI_COMM_WORLD, &me );

int PPSize = NUMELEMENTS / numCPUs; // per-processor data size -- assuming it comes out evenly
float *myData = new float [ PPSize ];

if( me == THEBOSS ) // the sender
{
    float *InputData = new float [ NUMELEMENTS ];
    << read the full input data into InputData from disk >>
    for( int dst = 0; dst < numCPUs; dst++ )
    {
        if( dst != THEBOSS )
        {
            MPI_Send( &InputData[dst*PPSize], PPSize, MPI_FLOAT, dst, 0, MPI_COMM_WORLD );
        }
    }
}
else // a receiver
{
    MPI_Recv( myData, PPSize, MPI_FLOAT, THEBOSS, 0, MPI_COMM_WORLD, MPI_STATUS_IGNORE );
    // do something with this subset of the data
}
```

The address of node *dst*'s share of the data to send

Each *dst* node will store its data in this array

Oregon State University
Computer Graphics

mjb – May 22, 2024

24

In Distributed Computing, You Often Hear About These Design Patterns 25

Broadcast
This sends the same data to each processor

Scatter
This sends pieces of the data to each processor

Gather
This brings back pieces of the results from each processor

Oregon State University
Computer Graphics
mjb - May 22, 2024

25

Scatter and Gather Usually Go Together 26

This sends pieces of the data to each processor

Scatter

Gather
This brings back pieces of the results from each processor

Note surprisingly, this is referred to by the combined term **Scatter/Gather**

Oregon State University
Computer Graphics
mjb - May 22, 2024

26

MPI Scatter 27

Take a data array, break it into ~equal portions, and send it to each CPU

```
MPI_Scatter( snd_array, snd_count, snd_type, rcv_array, rcv_count, rcv_type, src, MPI_COMM_WORLD );
```

The total large array to split up
elements to send per-processor

MPI_CHAR
MPI_INT
MPI_LONG
MPI_FLOAT
MPI_DOUBLE
...

Local array to store this processor's piece in
elements to receive per-processor

MPI_CHAR
MPI_INT
MPI_LONG
MPI_FLOAT
MPI_DOUBLE
...

This is who is doing the sending - everyone else is receiving

Scatter

Both the sender and receivers need to execute **MPI_Scatter**.
There is no separate receive function

Oregon State University
Computer Graphics
mjb - May 22, 2024

27

MPI Gather 28

```
MPI_Gather( snd_array, snd_count, snd_type, rcv_array, rcv_count, rcv_type, dst, MPI_COMM_WORLD );
```

The total large array to put the pieces back into
elements to return per-processor

MPI_CHAR
MPI_INT
MPI_LONG
MPI_FLOAT
MPI_DOUBLE
...

Local array that this processor is sending back
elements to send back per-processor

MPI_CHAR
MPI_INT
MPI_LONG
MPI_FLOAT
MPI_DOUBLE
...

This is who is doing the receiving - everyone else is sending

Gather

Both the sender and receivers need to execute **MPI_Gather**.
There is no separate transmit function

Oregon State University
Computer Graphics
mjb - May 22, 2024

28

Remember This? It's Baaaaaack as a complete Scatter/Gather Example

The **Compute : Communicate Ratio** still applies, except that it is even more important now because there is much more overhead in the Communicate portion.

This pattern of breaking a big problem up into pieces, sending them to different CPUs, computing on the pieces, and getting the results back is *very* common. That's why MPI has its own scatter and gather functions.

mjb - May 22, 2024

29

heat.cpp, I

```

#include <stdio.h>
#include <math.h>
#include <mpi.h>

const float RHO = 8050.;
const float C = 0.466;
const float K = 20.;
float k_over_rho_c = K / (RHO*C); // units of m^2/sec NOTE: this cannot be a const!
// K / (RHO*C) = 5.33x10^-6 m^2/sec

const float DX = 1.0;
const float DT = 1.0;

#define THEBOSS 0

#define NUMELEMENTS (8*1024*1024)
#define NUM_TIME_STEPS 4
#define DEBUG false

float * NextTemps; // per-processor array to hold computer next-values
int NumCpus; // total # of cpus involved
int PPSize; // per-processor local array size
float * PPTemps; // per-processor local array temperature data
float * TempData; // the overall NUMELEMENTS-big temperature data

void DoOneTimeStep( int );

```

mjb - May 22, 2024

30

heat.cpp, II

```

int
main( int argc, char *argv[ ] )
{
    MPI_Init( &argc, &argv );

    int me; // which one I am

    MPI_Comm_size( MPI_COMM_WORLD, &NumCpus );
    MPI_Comm_rank( MPI_COMM_WORLD, &me );

    // decide how much data to send to each processor:
    PPSize = NUMELEMENTS / NumCpus; // assuming it comes out evenly
    PPTemps = new float [PPSize]; // all processors now have this uninitialized Local array
    NextTemps = new float [PPSize]; // all processors now have this uninitialized local array too

    // broadcast the constant:
    MPI_Bcast( (void *)&k_over_rho_c, 1, MPI_FLOAT, THEBOSS, MPI_COMM_WORLD );
}

```

Broadcast

mjb - May 22, 2024

31

heat.cpp, III

```

if( me == THEBOSS ) // this is the data-creator
{
    TempData = new float [NUMELEMENTS];
    for( int i = 0; i < NUMELEMENTS; i++ )
        TempData[i] = 0.;
    TempData[NUMELEMENTS/2] = 100.;
}

MPI_Scatter( TempData, PPSize, MPI_FLOAT, PPTemps, PPSize, MPI_FLOAT,
            THEBOSS, MPI_COMM_WORLD );

```

mjb - May 22, 2024

32

heat.cpp, IV

33

```

// all the PPTemps arrays have now been filled
// do the time steps:

double time0 = MPI_Wtime();

for( int steps = 0; steps < NUM_TIME_STEPS; steps++ )
{
    // do the computation for one time step:
    DoOneTimeStep( me );

    // ask for all the data:
#ifdef WANT_EACH_TIME_STEPS_DATA_BACK
    MPI_Gather( PPTemps, PPSize, MPI_FLOAT, TempData, PPSize, MPI_FLOAT,
              THEBOSS, MPI_COMM_WORLD );
#endif
}

#ifdef WANT_EACH_TIME_STEPS_DATA_BACK
MPI_Gather( PPTemps, PPSize, MPI_FLOAT, TempData, PPSize, MPI_FLOAT,
          THEBOSS, MPI_COMM_WORLD );
#endif

double time1 = MPI_Wtime();

```

Oregon State University
Computer Graphics

mjb - May 22, 2024

33

heat.cpp, V

34

```

if( me == THEBOSS )
{
    double seconds = time1 - time0;
    double performance =
        (double)NUM_TIME_STEPS * (double)NUMELEMENTS / seconds / 1000000.;
    // mega-elements computed per second
    fprintf( stderr, "%3d, %10d, %8.2lf\n", NumCpus, NUMELEMENTS, performance );
}

MPI_Finalize( );
return 0;
}

```

mjb - May 22, 2024

34

DoOneTimeStep, I

35

```

// read from PerProcessorData[ ], write into NextTemps[ ]
void
DoOneTimeStep( int me )
{
    MPI_Status status;

    // send out the left and right end values:
    // (the tag is from the point of view of the sender)
    if( me != 0 ) // i.e., if i'm not the first group on the left
    {
        // send my PPTemps[0] to me-1 using tag 'L'
        MPI_Send( &PPTemps[0], 1, MPI_FLOAT, me-1, 'L', MPI_COMM_WORLD );
        if( DEBUG ) fprintf( stderr, "%3d sent 'L' to %3d\n", me, me-1 );
    }

    if( me != NumCpus-1 ) // i.e., not the last group on the right
    {
        // send my PPTemps[PPSize-1] to me+1 using tag 'R'
        MPI_Send( &PPTemps[PPSize-1], 1, MPI_FLOAT, me+1, 'R', MPI_COMM_WORLD );
        if( DEBUG ) fprintf( stderr, "%3d sent 'R' to %3d\n", me, me+1 );
    }
}

```

Oregon State University
Computer Graphics

mjb - May 22, 2024

35

DoOneTimeStep, II

36

```

float left = 0.;
float right = 0.;

if( me != 0 ) // i.e., if i'm not the first group on the left
{
    // receive my "left" from me-1 using tag 'R'
    MPI_Recv( &left, 1, MPI_FLOAT, me-1, 'R', MPI_COMM_WORLD, &status );
    if( DEBUG ) fprintf( stderr, "%3d received 'R' from %3d\n", me, me-1 );
}

if( me != NumCpus-1 ) // i.e., not the last group on the right
{
    // receive my "right" from me+1 using tag 'L'
    MPI_Recv( &right, 1, MPI_FLOAT, me+1, 'L', MPI_COMM_WORLD, &status );
    if( DEBUG ) fprintf( stderr, "%3d received 'L' from %3d\n", me, me+1 );
}

```

Oregon State University
Computer Graphics

mjb - May 22, 2024

36

Sharing Values Across the Boundaries

37

Processor #0 Processor #1 Processor #2 Processor #3

```

1 sent 'L' to 0
1 sent 'R' to 2
2 sent 'L' to 1
2 sent 'R' to 3
2 received 'R' from 1
0 sent 'R' to 1
0 received 'L' from 1
1 received 'R' from 0
1 received 'L' from 2
3 sent 'L' to 2
3 received 'R' from 2
2 received 'L' from 3
  
```

Oregon State University
Computer Graphics
mjb - May 22, 2024

37

1D Compute-to-Communicate Ratio

38

Intraprocessor computing
Interprocessor communication

Compute : Communicate ratio = N : 2

where N is the number of compute cells per processor

In the above drawing, Compute : Communicate is 4 : 2

Oregon State University
Computer Graphics
mjb - May 22, 2024

38

DoOneTimeStep, III

39

```

// first element on the left (0):
{
    float dtemp = ( k_over_rho_c *
        (left - 2.*PPTemps[0] + PPTemps[1]) / ( DX*DX ) ) * DT;
    NextTemps[0] = PPTemps[0] + dtemp;
}

// all the nodes in the middle:
for( int i = 1; i < PPSize-1; i++ )
{
    float dtemp = ( k_over_rho_c *
        ( PPTemps[i-1] - 2.*PPTemps[ i ] + PPTemps[i+1] ) / ( DX*DX ) ) * DT;
    NextTemps[i] = PPTemps[i] + dtemp;
}

// last element on the right (PPSize-1):
{
    float dtemp = ( k_over_rho_c *
        ( PPTemps[PPSize-2] - 2.*PPTemps[PPSize-1] + right ) / ( DX*DX ) ) * DT;
    NextTemps[PPSize-1] = PPTemps[PPSize-1] + dtemp;
}
  
```

Oregon State University
Computer Graphics
mjb - May 22, 2024

39

DoOneTimeStep, IV


40

```


// update the local dataset:
for( int i = 0; i < PPSize; i++ )
{
    PPTemps[ i ] = NextTemps[ i ];
}
  
```

Oregon State University
Computer Graphics
mjb - May 22, 2024


40




41



42



43



44

From: Peter Johnsen, Mark Straka, Melvyn Shapiro, Alan Norton, Thomas Galameau, Petascale WRF Simulation of Hurricane Sandy.

MPI Reduction

MPI_Reduce(partialResult, globalResult, count, type, operator, dst, MPI_COMM_WORLD);

Where the partial result is stored on each CPU

Place to store the full result on the dst CPU

Number of elements in the partial result

MPI_CHAR
MPI_INT
MPI_LONG
MPI_FLOAT
MPI_DOUBLE
...

Who is given the final answer

MPI_MIN
MPI_MAX
MPI_SUM
MPI_PROD
MPI_MINLOC
MPI_MAXLOC
MPI_LAND
MPI_BAND
MPI_LOR
MPI_BOR
MPI_LXOR
MPI_BXOR

This really should be called Scatter/Gather/Reduction

Reduction

Both the sender and receivers need to execute MPI_Reduce. There is no separate receive function

Oregon State University
Computer Graphics

mjb - May 22, 2024

45

MPI Reduction Example

```
// gratuitous use of a reduce -- average all the temperatures:

float partialSum = 0.;
for( int i = 0; i < PPSize; i++ )
    partialSum += PPTemps[ i ];

float globalSum = 0.;
MPI_Reduce( &partialSum, &globalSum, 1, MPI_FLOAT, MPI_SUM, THEBOSS, MPI_COMM_WORLD );

if( me == THEBOSS )
    fprintf( stderr, "Average temperature = %fn", globalSum/(float)NUMELEMENTS );
```

Reduction

Oregon State University
Computer Graphics

mjb - May 22, 2024

46

MPI Barriers

MPI_Barrier(MPI_COMM_WORLD);

Distributed Processors:

0 1 2 3 4 5

All CPUs must execute the call to MPI_Barrier() before any of the CPUs can move past it. That is, each CPU's MPI_Barrier() blocks until all CPUs execute a call to MPI_Barrier().

Oregon State University
Computer Graphics

mjb - May 22, 2024

47

MPI Derived Types

Idea: In addition to types MPI_INT, MPI_FLOAT, etc., allow the creation of new MPI types so that you can transmit an "array of structures".

Reason: There is significant overhead with each transmission. Better to send one entire array of structures instead of sending several arrays separately.

MPI_Type_create_struct(count, blocklengths, displacements, types, datatype);

```
struct point
{
    int  pointSize;
    float x, y, z;
};
```

```
MPI_Datatype MPI_POINT;
int blocklengths[ ] = { 1, 1, 1, 1 };
int displacements[ ] = { 0, 4, 8, 12 };
MPI_type types[ ] = { MPI_INT, MPI_FLOAT, MPI_FLOAT, MPI_FLOAT };

MPI_Type_create_struct( 4, blocklengths, displacements, types, &MPI_POINT );
```

You can now use **MPI_POINT** everywhere you could have used **MPI_INT, MPI_FLOAT, etc.**

Oregon State University
Computer Graphics

mjb - May 22, 2024

48

MPI Timing

49

```
double MPI_Wtick( );
```

Returns the resolution of the clock, in seconds.

```
double MPI_Wtime( );
```

Returns the time, in seconds, since "some time in the past".

Warning: the clocks on the different CPUs are not guaranteed to be synchronized!



Oregon State
University
Computer Graphics

mjb - May 22, 2024

49

MPI Status-Checking

50

Some MPI calls have a **&status** in their argument list.

The **status** argument is declared to be of type **MPI_Status**, which is actually a struct:

```
typedef struct _MPI_Status
{
    int MPI_SOURCE;
    int MPI_TAG;
    int MPI_ERROR;
} MPI_Status;
```

- MPI_SOURCE is the rank of the node who sent this
- MPI_TAG is the tag used during the send
- MPI_ERROR is the error number that occurred

Example:

```
MPI_Status status;
MPI_Recv( myData, MYDATA_SIZE, MPI_CHAR, THEBOSS, MPI_ANY_TAG, MPI_COMM_WORLD,
&status );
```

```
fprintf( stderr, "Rank = %d, Tag = %d, Error Code = %d\n",
status.MPI_SOURCE, status.MPI_TAG, status.MPI_ERROR );
```



Oregon State
University
Computer Graphics

mjb - May 22, 2024

50

MPI Error Codes

51

MPI_SUCCESS	No error	MPI_ERR_KEYVAL	Invalid keyval has been passed
MPI_ERR_BUFFER	Invalid buffer pointer	MPI_ERR_NO_MEM	MPI_ALLOC_MEM failed because memory is exhausted
MPI_ERR_COUNT	Invalid count argument	MPI_ERR_BASE	Invalid base passed to MPI_FREE_MEM
MPI_ERR_TYPE	Invalid datatype argument	MPI_ERR_INFO_KEY	Key longer than MPI_MAX_INFO_KEY
MPI_ERR_TAG	Invalid tag argument	MPI_ERR_INFO_VALUE	Value longer than MPI_MAX_INFO_VAL
MPI_ERR_COMM	Invalid communicator	MPI_ERR_INFO_NOKEY	Invalid key passed to MPI_INFO_DELETE
MPI_ERR_RANK	Invalid rank	MPI_ERR_SPAWN	Error in spawning processes
MPI_ERR_REQUEST	Invalid request (handle)	MPI_ERR_PORT	Invalid port name passed to MPI_COMM_CONNECT
MPI_ERR_ROOT	Invalid root	MPI_ERR_SERVICE	Invalid service name passed to MPI_UNPUBLISH_NAME
MPI_ERR_GROUP	Invalid group	MPI_ERR_NAME	Invalid service name passed to MPI_LOOKUP_NAME
MPI_ERR_OP	Invalid operation	MPI_ERR_WIN	Invalid win argument
MPI_ERR_TOPOLOGY	Invalid topology	MPI_ERR_SIZE	Invalid size argument
MPI_ERR_DIMS	Invalid dimension argument	MPI_ERR_DISP	Invalid disp argument
MPI_ERR_ARG	Invalid argument of some other kind	MPI_ERR_INFO	Invalid info argument
MPI_ERR_UNKNOWN	Unknown error	MPI_ERR_LOCKTYPE	Invalid locktype argument
MPI_ERR_TRUNCATE	Message truncated on receive	MPI_ERR_ASSERT	Invalid assert argument
MPI_ERR_OTHER	Known error not in this list	MPI_ERR_RMA_CONFLICT	Conflicting accesses to window
MPI_ERR_INTERN	Internal MPI (implementation) error	MPI_ERR_RMA_SYNC	Wrong synchronization of RMA calls
MPI_ERR_IN_STATUS	Error code is in status		
MPI_ERR_PENDING	Pending request		
MPI_ERR_FILE			Invalid file handle
MPI_ERR_NOT_SAME	Collective argument not identical on all processes, or collective routines called in a different order by different processes		
MPI_ERR_AMODE			Error related to the amode passed to MPI_FILE_OPEN
MPI_ERR_UNSUPPORTED_DATAREP			Unsupported datarep passed to MPI_FILE_SET_VIEW
MPI_ERR_UNSUPPORTED_OPERATION	Unsupported operation, such as seeking on a file which supports sequential access only		
MPI_ERR_NO_SUCH_FILE			File does not exist
MPI_ERR_FILE_EXISTS			File exists
MPI_ERR_BAD_FILE			Invalid file name (e.g., path name too long)
MPI_ERR_ACCESS			Permission denied
MPI_ERR_NO_SPACE			Not enough space
MPI_ERR_QUOTA			Quota exceeded
MPI_ERR_READ_ONLY			Read-only file or file system
MPI_ERR_FILE_IN_USE			File operation could not be completed, as the file is currently open by some process
MPI_ERR_DUP_DATAREP			Conversion functions could not be registered because a data representation identifier that was already defined was passed to MPI_REGISTER_DATAREP
MPI_ERR_CONVERSION			An error occurred in a user supplied data conversion function.
MPI_ERR_IO			Other I/O error
MPI_ERR_LASTCODE			Last error code



Oregon State
University
Computer Graphics

mjb - May 22, 2024

51




Oregon State
University
Computer Graphics

mjb - May 22, 2024

52

Example: Autocorrelation


53



53

Autocorrelation – More than Just a Scatter


54



54

Autocorrelation – How the Shifting Works

55



55